

MISC. ORDER NO. 21-10

In the County Court of Craighead County, Arkansas

In the matter of awarding bids for the purchase of two (2)
Dump Trucks with dump beds and hydraulics installed
And delivered to the Craighead County Road Department.

FILED

FEB 08 2021

LESLI PENNY

COUNTY & PROBATE COURT CLERK

ORDER


Comes before the County Court of Craighead County, Arkansas, the matter of awarding bids for the purchase of two (2) Dump Trucks with dump beds and hydraulics installed and three (3) year/150,000 mile guaranteed dealer buyback, delivered and to be used by the Craighead County Road Department.

Bids were advertised and publicly opened in accordance with Arkansas Code 14-22-101 through 14-22-115, concerning purchasing and bidding procedures.

It is therefore, considered, ordered, and adjudged that the low and best bid and overall best value of \$139,519.00 per Freightliner dump truck, with a three year/150,000 mile guaranteed dealer buyback of \$85,600 per dump truck, with a total award of \$279,038.00 be awarded to Tag Truck Center, 5712 Commerce Square, Jonesboro, AR 72401.

Dated this 8th Day of February, 2021

Approved:


Marvin Day
Craighead County Judge

BID TABULATION SHEET

Bid 2021-4	Purchase two new dump trucks with automatic transmission and 3 year/150,000 guaranteed dealer buyback				
County Road Dept	Craighead County Road Dept				
DATE: February 3, 2021	2800 Moore Rd				
	Jonesboro, AR 72401				Net cost per vehicle per year utilizing 3 yr BuyBack Option
BIDDER NAME	ITEM BID	Price per unit	per unit	Total Cost	
Tag Truck Center	2022 Freightliner 114SD with Ox Body 16ft Stamped, Allison 4500 RDS trans	\$144,155.00	\$85,600.00	\$288,310.00	\$19,518.33
5712 Commerce Square	Detroit DD13(12.8L) 450 HP Engine, Buyback three year/150,000 miles				
Jonesboro, AR 72401	Service location, Jonesboro, AR. Engine warranty five years/200,000, Full Truck warranty(all) 12 months/100,000 miles. Trans 5 yr unlimited mile warranty. Towing 3 years unlimited miles, cap of \$550 per tow. Gross comb wt 80,000#		Buyback		
Kaleb Moore	972-8588 Fax 972-0223		Percent of cost		
kaleb.moore@tnttruck.com	All included in bid price. Estimated delivery date September 2021. Latest year model in current production.		59%		
	Deleted extended engine, \$3150, transmission, \$936, and towing, \$550 warranties that were included in bid price.	-\$4,636.00		-\$9,272.00	
		Net cost		\$279,038.00	
Summit Truck group	2021 International HX, Allison Trans with HPTB 20 YD, 17X7 Installed	\$158,900.00	\$98,500.00	\$317,800.00	\$20,133.33
5711 Commerce Square	Cummins, (15L) 485 HP, Buyback three year/150,000 miles				
Jonesboro, AR 72401	Service location, Jonesboro, AR. Delivery, one truck in stock, 2nd truck 30 days.		Buyback		
Joe Bridges	Truck warranty(all) 12 months/100,000 miles. Engine warranty 3 yrs/300K miles.		Percent of cost		
870-559-1274	Trans 500,000K warranty. Gross comb wt 80,000#, Year model 2021 not current production.		62%		
joe.bridges@summittruckgroup.com					

With some bidders having some exceptions to bid specs and with Freightliner having a good overall vehicle warranty, with a local facility with parts and service in Jonesboro, AR, as well as Summit Truck Group, are valuable considerations used in determining the best bid and best overall value for Craighead County. Additionally, upfront cost is lowest of other competitors. The ability to purchase replacement service items locally and in bulk to coincide with current fleet trucks is an asset to the County. Freightliner's buy back option is competitive and available should the County choose to exercise this option. All bids were very competitive and offered quality equipment. After considerable study and evaluation of bids including up front purchase price, vehicle warranty, local parts and service facility, purchase of current fleet replacement parts in bulk are valuable considerations and it is therefore determined that the best overall value for Craighead County is Freightliner offered by Tag Truck Center, as outlined above.

Al Haines

From: Kaleb Moore <kaleb.moore@tnttruck.com>
Sent: Monday, February 08, 2021 10:48 AM
To: Al Haines
Subject: RE: Dump truck bid

Please be cautious
This email was sent outside of your organization

* Truck price without extended warranty is \$139,519 per truck

From: Al Haines <ahaines@craigheadcounty.org>
Sent: Monday, February 08, 2021 10:03 AM
To: Kaleb Moore <kaleb.moore@tnttruck.com>
Subject: RE: Dump truck bid

CAUTION: External Email. Use caution when clicking on links or opening attachments!
Kaleb,
Please price the trucks without the extended warranties.
Al Haines

From: Kaleb Moore <kaleb.moore@tnttruck.com>
Sent: Thursday, February 04, 2021 4:36 PM
To: Al Haines <ahaines@craigheadcounty.org>
Subject: Re: Dump truck bid

Please be cautious
This email was sent outside of your organization

Units will have basic chassis coverage for 1 year/unlimited miles and basic engine coverage for 2 years/ unlimited miles. There are no deductibles with the basic coverage.

Below prices are include in quoted bid price:

- * 1). Extended engine and aftertreatment warranty is 5 years/200,000 miles. There is no deductible, and the cost is \$3,150.
- * 2). Extended transmission warranty is 5 years/Unlimited miles. There is no deductible, and the cost is \$936.
- * 3). Extended towing coverage is 3 years/Unlimited miles. There is no deductible, but there is a \$550 cap per tow. The cost is \$550.

Get Outlook for IOS

From: Al Haines <ahaines@craigheadcounty.org>
Sent: Thursday, February 4, 2021 2:38:38 PM
To: Kaleb Moore <kaleb.moore@tntxtruck.com>
Subject: RE: Dump truck bid

CAUTION: External Email: Use caution when clicking on links or opening attachments!

Also,
Explain the extended warranty. Cost, deductibles, on trucks, transmission, towing. Costs and coverages, years, miles ETC.
Thank you
Al Haines

From: Kaleb Moore <kaleb.moore@tntxtruck.com>
Sent: Thursday, February 04, 2021 2:32 PM
To: Al Haines <ahaines@craigheadcounty.org>
Subject: RE: Dump truck bid

Please be cautious

This email was sent outside of your organization.

Sorry about that Al. We would most likely be looking at September if we ordered the units today.

From: Al Haines <ahaines@craigheadcounty.org>
Sent: Thursday, February 04, 2021 2:25 PM
To: Kaleb Moore <kaleb.moore@tntxtruck.com>
Subject: Dump truck bid

CRAIGHEAD COUNTY
INVITATION TO BID-Not an Order
 Craighead County Judge's Office
 511 Union St., Suite 119
 Jonesboro, Arkansas 72401

PURCHASING OFFICE

BID NO. 2021-4

DATE: January 18, 2021

Sealed bids, subject to the conditions on the reverse hereof, and as may be attached hereto, will be received at this office until **2:00 PM, February 3, 2021** and then publicly opened, for furnishing the supplies, materials, and/or services as described below.

Bids will be opened **February 3, 2021**
2:00 P.M. Local Time

F.O.B. Jonesboro, Arkansas

BY: **Al Haines**
PURCHASING DIRECTOR

Maximum Delivery or completion time after issuance of Purchase

Order or work ordered by County **120 days.**

Item #	DESCRIPTION	QUANT.	UNIT	UNIT PRICE	AMOUNT
1	Furnish two (2) each Dump Trucks with Automatic transmissions and with installed dump beds to Craighead County Road Department, 2800 Moore Road, Jonesboro, AR, 72401 according to attached specifications. Trucks are to have dump beds and hydraulics installed and fully operational when delivered.	2			
2	This bid package contains 6 pages. All 6 pages must be returned to complete bid.				
3	Bid must be signed by authorized company representative.				
4	Bidder should: A. Clearly define and list warranty information on each item in years; B. Include all labor, delivery charges, training, programming, and any other charges FOB Jonesboro, Arkansas 72401, in bid price. C. Include product literature and specifications with bid. D. All relevant information will be considered when determining best bid for Craighead County. E. Specify cash discounts, if available. F. Note bid number on outside of bid envelope. G. Specify approximate ship time in days, if awarded bid. F. List make, model, and manufacturer of equipment being offered. G. Quote same or equal equipment in all aspects. H. Specify nearest service and parts supply location to Jonesboro, AR.				
5	Does bidder meet all dump truck specifications? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If no, clearly list and define differences on a separate sheet.				
6	Attached equipment list with names and part numbers is for reference.				
7	Bidder should put total bid price on this sheet. Total bid price is \$ 288,310.00				
8	Bidder shall list purchase price per unit here \$ 144,155.00 Buyback price per unit here \$ 85,000.00				

EXECUTION OF BID

Date **2/3/21**

We, the undersigned, have read all the requirements set forth in this bid proposal including specifications, instructions, conditions, and pertinent information regarding the articles being bid on, and we agree to furnish articles at the prices stated.

Arkansas Use Tax Register No. **311386-16-001**

Bidder **Kaleb Moore, New Trail Subaru** Address **5715 Commerce Sq., Jonesboro, AR 72401**
 (Person Authorized to Sign Bids) Title

Kaleb Moore

UNSIGNED BIDS WILL BE REJECTED

BIDS ARE SUBJECT TO REJECTION UNLESS SUBMITTED ON THIS FORM

NOTICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS FOR INSTRUCTIONS AND CONDITIONS.

**CRAIGHEAD COUNTY
JONESBORO, ARKANSAS
CONDITIONS OF BIDDING**

Compliance with the following conditions is necessary for consideration of this bid.

- 1 **Signature:** This bid must be signed with the firm name and by an authorized officer, employee or agent.
- 2 **Sales Tax:** Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to the County.
The County is exempt from Arkansas State Sales Tax on road equipment and vehicles. Contractors are to include all costs into the bid price, including applicable taxes.
- 3 **Freight and other delivery charges:** to destination at designated County facility in the County must be included in bid.
Charges may not be added after the bid is opened.
- 4 **Discounts:** Show rate, total amount, and latest day any discounts will be allowed after receipt of article and invoice, otherwise County will deduct allowed discount when payment is made.
- 5 **Firm Price:** All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise specified by the County or bidder.
- 6 **Tax Exempt:** Craighead County is exempt from State sales tax on self propelled equipment and motor vehicles.
Example: Motor graders, excavators, dozers, dump trucks, pickup trucks, etc.
- 7 **Identical Bids:** In the event of two or more identical low bids, the contract may be awarded arbitrarily or for any reason to any of such bidders, or split in any proportion between the said two or more bidders at discretion of the County.
- 8 **Clean up:** Complete cleanup and proper disposal of any and all job related items is considered to be a part of any contract let by Craighead County.
- 9 **Ambiguity in bid:** Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compliance specifications, instructions, and all conditions of bidding shall be construed in the light most favorable to the County.
- 10 **Construction**
 - A. When requested, the Contractor is to supply the County with evidence of having and maintaining proper and specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansas, Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way will the County be responsible in case of accident.
 - B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for erection of any public building, public structure, or public improvement (Pursuant to Arkansas Code 18-44-503.)
- 11 The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalties in bids received, to accept bids on materials or equipment with variations from specifications in those cases where efficiency of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the bid. If unit prices and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether reflected by extension or by the correct multiple of the unit price.

INSTRUCTIONS TO BIDDERS

(Please read carefully)

- 1 Submit bid on bid form attached or reverse side of this sheet.
- 2 Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St., Suite 119, Jonesboro, Arkansas 72401 and make certain to indicate identifying bid number on the outside of bid envelope.
- 3 DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.
- 4 State Manufacturer, Brand Name, Model, etc. for each item bid on.
- 5 Samples of items, when required must be furnished free, and, if not called for within 30 days from date of bid opening, will be disposed of by the County.
- 6 Bids received after stated time will not be considered.
- 7 Be sure and read all conditions and verify amounts before submitting bids. No changes or additions will be allowed after submission.
- 8 Guarantees and warranties should be attached as a part of the bid, as they may be a consideration in awarding contract.
- 9 Delivery or contract completion time is to be shown, as this date may, where time is of the essence, determine the contract award.
- 10 Additional information may be obtained from the Purchasing Department.

**THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR BIDS
AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.**

General				
A	Trucks (automatic transmissions) and dump beds shall be the latest year model in current production with proven performance by manufacturer and shall meet all federal emissions and all other EPA regulations. (Specify year model)			
B	All bidders shall offer a guaranteed three (3) year dealer buy back program and clearly defining buy back dollar amount, time frame and mileage and other criteria for the buy back program.			
C	Bidder shall bid truck and bed with a three (3) year/150,000 mile dealer buyback program. Dealer should guarantee any outside vendors and for companies that supply buy back pricing.			
D	Note: Part of specifications may be Freightliner specific. Please bid equal equipment.			
E	Note: Part of specifications may be Godwin EL series specific. Please bid equal equipment.			
VEHICLE AND DUMP BED SPECIFICATIONS				
F	Dump Bed Specifications (Beds being offered shall be equal to the following specifications)	Meet Specifications		
		Yes	No	
1	R/S Godwin Truck Body Company Model EL 16052311	✓		
2	Elliptical floor, length 192, Pivot 180 degrees, Inside width 86, Side height 52,	✓		
3	Custom single acting hoist, Electric Tarp system-6200.	✓		
4	6" diameter cylinder rod(3) stage cylinder with 2000 PSI	✓		
5	Hoist lifting capacity 56,540 lbs. (28 ton)	✓		
6	140" cylinder stroke	✓		
7	50 degree dump angle	✓		
8	High lift gate (6') opening discharge	✓		
9	16 Cubic yard capacity	✓		
10	Fender bottom rail 10-gauge, Wood Board gusset height 8", Bulkhead 74.	✓		
11	All Hydraulics, All safety features, flaps, lights,	✓		
12	Air shift PTO	✓		
13	Asphalt apron, Deck 1/4" AR450, Sides 3/16" AR450, Rear post material 1/4" high tensile	✓		
14	Air operated tailgate, High lift, Height 56, Material, 3/16" hardox AR450, air operated controls.	✓		
Vehicle Configuration				
1	114SD CONVENTIONAL CHASSIS	✓		
2	SPECIFY MODEL YEAR	2022		
3	SET FORWARD AXLE - TRUCK	✓		
4	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	✓		
5	FREIGHTLINER LEVEL II WARRANTY	✓		
6	EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs.	✓		
7	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs.	✓		
8	EXPECTED PUSHER AXLE(S) LOAD : 12350.0 lbs.	✓		
9	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 76350.0 lbs.	✓		
10	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs.	✓		
11	DD13 12.8L 450 HP @ 1800 RPM, 2080 COV RPM, 1650 LB/FT @ 1100 RPM	✓		
12	2010 EPA/CARB EMISSION CERTIFICATION	✓		
13	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	✓		
14	(3) ALLIANCE MODEL 1231, GROUP 31, 12-VOLT MAINTENANCE FREE 3375 CCA THREADED STUD BATTERIES		✓	3000 CCA
15	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART MOUNTED NEAR/ON BATTERY TRAY/BOX	✓		
16	ZF-SACHS 15-1/2 INCH TWIN XTEND ULTRA SOFT-DAMPER CERAMIC CLUTCH		✓	Automatic Trans.


17	TORQUE LIMITING CLUTCH BRAKE		✓	Automatic Trans		
18	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING		✓	Automatic Trans		
19	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE	✓				
20	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	✓				
21	JACOBS COMPRESSION BRAKE	✓				
22	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH LH B-PILLAR MOUNTED VERTICAL TAILPIPE		✓	RH B-Pillar mounted		
23	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH	✓				
24	BRIGHT UPPER STACK(S)	✓				
25	13 GALLON DIESEL EXHAUST FLUID TANK	✓				
26	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH	✓				
27	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR	✓				
28	1500 SQUARE INCH ALUMINUM RADIATOR	✓				
29	DELCO 12V 39MT+ HD/OGP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	✓				
30	ALLISON AUTOMATIC 4500 RDS TRANSMISSION	✓				
31	MFS-18-133A 18,000# FL1 SINGLE FRONT AXLE	✓				
32	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓				
33	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	✓				
34	TRW THP-60 POWER STEERING WITH ROH45 AUXILIARY GEAR	✓				
35	ROADRANGER SYNTHETIC FE 75W-90 FRONT AXLE LUBE	✓				
36	18,000# TAPERLEAF FRONT SUSPENSION	✓				
37	FRONT SHOCK ABSORBERS	✓				
38	RT 46-160P 46,000# R-SERIES TANDEM REAR AXLE	✓				
39	4.30 REAR AXLE RATIO	✓				
40	MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	✓				
41	MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES	✓				
42	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	✓				
43	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE	✓				
44	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓				
45	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)	✓				
46	TUFTRAC 46,000# 2-STAGE REAR SPRING SUSPENSION	✓				
47	TUFTRAC STANDARD RIDE HEIGHT	✓				
48	56 INCH AXLE SPACING	✓				
49	FORE/AFT AND TRANSVERSE CONTROL RODS	✓				
50	HENDRICKSON PARALIFT ULTRA HLUC2 COMPOSILITE 13,200# AIR LIFT STEERABLE PUSHER SUSPENSION WITH HENDRICKSON FF1 AXLE	✓				
51	HENDRICKSON FF1 13,200# PUSHER AXLE INTEGRAL WITH HLUS/R-2, HLUC2 SUSPENSIONS	✓				
52	(1) DASH VALVE AND (1) GAUGE FOR SINGLE LIFT AXLE	✓				

Al Haines

From: Kaleb Moore <kaleb.moore@tnxtruck.com>
Sent: Monday, February 08, 2021 10:48 AM
To: Al Haines
Subject: RE: Dump truck bid

Please be cautious
This email was sent outside of your organization

Truck price without extended warranty is \$139,519 per truck.



From: Al Haines <ahaines@craigheadcounty.org>
Sent: Monday, February 08, 2021 10:03 AM
To: Kaleb Moore <kaleb.moore@tnxtruck.com>
Subject: RE: Dump truck bid

CAUTION: External Email. Use caution when clicking on links or opening attachments!

Kaleb,
Please price the trucks without the extended warranties.
Al Haines

From: Kaleb Moore <kaleb.moore@tnxtruck.com>
Sent: Thursday, February 04, 2021 4:36 PM
To: Al Haines <ahaines@craigheadcounty.org>
Subject: Re: Dump truck bid

Please be cautious
This email was sent outside of your organization

Units will have basic chassis coverage for 1 year/unlimited miles and basic engine coverage for 2 years/ unlimited miles. There are no deductibles with the basic coverage.

Below prices are include in quoted bid price:

- 1). Extended engine and aftertreatment warranty is 5 years/200,000 miles. There is no deductible, and the cost is \$3,150.
- 2). Extended transmission warranty is 5 years/Unlimited miles. There is no deductible, and the cost is \$936.
- 3). Extended towing coverage is 3 years/Unlimited miles. There is no deductible, but there is a \$550 cap per tow. The cost is \$550.

Get Outlook for iOS

From: Al Haines <ahaines@craigheadcounty.org>
Sent: Thursday, February 4, 2021 2:38:38 PM
To: Kaleb Moore <kaleb.moore@tntxtruck.com>
Subject: RE: Dump truck bid

CAUTION: External Email Use caution when clicking on links or opening attachments!

Also,

Explain the extended warranty. Cost, deductibles, on trucks, transmission, towing. Costs and coverages, years, miles ETC.
Thank you
Al Haines

From: Kaleb Moore <kaleb.moore@tntxtruck.com>
Sent: Thursday, February 04, 2021 2:32 PM
To: Al Haines <ahaines@craigheadcounty.org>
Subject: RE: Dump truck bid

Please be cautious

This email was sent outside of your organization

Sorry about that Al. We would most likely be looking at September if we ordered the units today.

From: Al Haines <ahaines@craigheadcounty.org>
Sent: Thursday, February 04, 2021 2:25 PM
To: Kaleb Moore <kaleb.moore@tntxtruck.com>
Subject: Dump truck bid

53	REVERSE LIFT AXLE WIRING WITH LAST STATE RETENTION WITH IGNITION OFF	✓				
54	AIR PIPING FOR (1) LIFT/NON-LIFT AXLE WITH REGULATOR CHASSIS MOUNTED	✓				
55	MERITOR 15X4 Q- CAM PUSHER/TAG BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓				
56	MERITOR AUTOMATIC PUSHER/TAG SLACK ADJUSTERS	✓				
57	HENDRICKSON HLUC2 13,200# AIR LIFT STEERABLE PUSHER AXLE SUSPENSION	✓				
58	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL	✓				
59	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION	✓				
60	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	✓				
61	5650MM (222 INCH) WHEELBASE	✓				
62	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	✓				
63	1/4 INCH (6MM) C-CHANNEL INNER FRAME REINFORCEMENT	✓				
64	HEAVY DUTY SUSPENSION CROSSMEMBER	✓				
65	18.5 INCH CHROME STEEL STRAIGHT BUMPER	✓				
66	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	✓				
67	GOODYEAR G296 MSA 385/65R22.5 18 PLY RADIAL FRONT TIRES	✓				
68	GOODYEAR G288 11R22.5 16 PLY RADIAL REAR TIRES	✓				
69	GOODYEAR G338 1AD 295/75R22.5 14 PLY RADIAL PUSHER/TAG TIRES	✓				
70	CONMET PRE-SET BEARING ALUMINUM REAR HUBS	✓				
71	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT 4.75 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	✓				
72	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS	✓				
73	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM DISC PUSHER/TAG WHEELS	✓				
74	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	✓				
75	AIR CAB MOUNTS	✓				
76	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	✓				
77	CHROMED HOOD MOUNTED AIR INTAKE GRILLE	✓				
78	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	✓				
79	DUAL HORN SHIELDS	✓				
80	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS	✓				
81	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE	✓				
82	DOOR MOUNTED MIRRORS	✓				
83	LH AND RH 8" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	✓				
84	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS	✓				
85	RH AND LH ELECTRIC POWERED WINDOWS	✓				
86	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION	✓				
87	2-1/2 LB. FIRE EXTINGUISHER	✓				
88	HEATER, DEFROSTER AND AIR CONDITIONER	✓				

89	CAB INSULATION	✓				
90	SOLID-STATE CIRCUIT PROTECTION AND FUSES	✓				
91	LH AND RH ELECTRIC DOOR LOCKS	✓				
92	(1) 12 VOLT POWER SUPPLY IN DASH	✓				
93	TRIANGULAR REFLECTORS WITHOUT FLARES	✓				
94	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH AIR LUMBAR	✓				
95	HIGH BACK NON SUSPENSION PASSENGER SEAT	✓				
96	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	✓				
97	CLOTH DRIVER SEAT COVER	✓				
98	CLOTH PASSENGER SEAT COVER	✓				
99	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	✓				
100	97 DB BACKUP ALARM	✓				
101	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)	✓				
102	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3	✓				
103	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH	✓				
104	2 INCH ELECTRIC FUEL GAUGE	✓				
105	FUEL FILTER RESTRICTION INDICATOR	✓				
106	DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES	✓				
107	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	✓				
108	ENGINE OIL TEMPERATURE GAUGE	✓				
109	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	✓				
110	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	✓				
111	ELECTRIC ENGINE OIL PRESSURE GAUGE	✓				
112	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	✓				
113	DASH MOUNTED RADIO	✓				
114	ELECTRONIC 3000 RPM TACHOMETER	✓				
115	TRAILER HAND CONTROL BRAKE VALVE	✓				
116	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	✓				
117	PAINT, ONE SOLID COLOR	✓				
118	CAB COLOR (EQUAL TO L6495EB ULTRA RED PEARL METALLIC ELITE B0)	✓				
119	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	✓				
120	Weight Front 9324 lbs. Weight Rear 9694 lbs. Total Weight 19,018 lbs.	✓				
Unit cost and buy back proposal						
1	Bidder shall list the purchase price per unit here and on top sheet. \$ <u>174,155.00</u>					
2	Bidder shall list the guaranteed three (3) year/150,000 mile dealer buy back price here per unit and on top sheet. \$ <u>85,000.00</u>					

Prepared for:
 Al Halnes
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
Price Level			
PRL-24D	SD PRL-24D (EFF:01/19/21)		
Data Version			
DRL-002	SPECPRO21 DATA RELEASE VER 002		
Interior Convenience/Driver Retention Package			
055-004	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION		
Vehicle Configuration			
001-177	114SD CONVENTIONAL CHASSIS	7,934	6,476
004-222	2022 MODEL YEAR SPECIFIED		
002-003	SET FORWARD AXLE - TRUCK		
019-001	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	10	10
003-001	LH PRIMARY STEERING LOCATION		
General Service			
AA1-003	TRUCK/TRAILER CONFIGURATION		
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
A85-011	CONSTRUCTION SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-010	DIRT/SAND/ROCK COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-1AE	FREIGHTLINER LEVEL II WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs		
A67-99D	EXPECTED PUSHER AXLE(S) LOAD : 13200.0 lbs		



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 77200.0 lbs		
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs		
Truck Service			
AA3-004	END DUMP BODY		
AF3-165	OX BODIES (TBEI)		
Tractor Service			
AA2-005	FLATBED TRAILER		
AH6-001	SINGLE (1) TRAILER		
Engine			
101-2YA	DETROIT DD13 12.8L 450 HP @ 1625 RPM, 1900 GOV RPM, 1650 LB-FT @ 975 RPM		
Electronic Parameters			
79A-065	65 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79M-002	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED		
79T-001	PTO MODE RPM INCREMENT - 25 RPM		
79W-001	ONE REMOTE PTO SPEED		
79X-005	PTO SPEED 1 SETTING - 900 RPM		
80D-001	SOFT CRUISE CONTROL ENABLED		
80L-001	ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE		
Engine Equipment			
99C-017	2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION		
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES		



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
290-017	BATTERY BOX FRAME MOUNTED		
281-001	STANDARD BATTERY JUMPERS		
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		
87P-001	CAB AUXILIARY POWER CABLE	5	
295-003	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART CHASSIS MOUNTED LH BACK OF CAB	4	
107-044	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-002	JACOBS COMPRESSION BRAKE		
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
233-017	STANDARD CURVE BRIGHT UPPER STACK(S)		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAIPIPE SHIELD(S)		
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH		
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR		



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
118-001	FULL FLOW OIL FILTER		
266-057	1500 SQUARE INCH ALUMINUM RADIATOR		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE		
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4	
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
155-076	DELCO 12V MOD 3.175-39MT+ STARTER WITH ENGINE ECU SOFTWARE PROTECTION AND INTEGRATED MAGNETIC SWITCH		

Transmission

342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	260	100
---------	--	-----	-----

Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV		
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED		
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS		
353-023	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT END OF FRAME		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
370-011	WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED		
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		

Front Axle and Equipment

400-1BA	DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	210	
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10	
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-023	CONMET CAST IRON FRONT BRAKE DRUMS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-003	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS		
406-001	STANDARD KING PIN BUSHINGS		
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130	
539-003	POWER STEERING PUMP		
534-003	4 QUART POWER STEERING RESERVOIR		
533-001	OIL/AIR POWER STEERING COOLER		
40T-004	GUARANTEED NAME BRAND "ROADRANGER SYNTHETIC" FE 75W-90 FRONT AXLE LUBE		



Prepared for:
 Al Halnes
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
Front Suspension			
620-013	18,000# TAPERLEAF FRONT SUSPENSION	200	
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
62G-998	NO FRONT SUSPENSION OPTIONS		
410-001	FRONT SHOCK ABSORBERS		
Rear Axle and Equipment			
420-111	RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE		450
421-430	4.30 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-10	-10
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES		
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE		
87A-001	BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF		
87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH		
423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)		
451-023	CONMET CAST IRON REAR BRAKE DRUMS		-40
440-006	REAR OIL SEALS		
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS		
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
42T-001	STANDARD REAR AXLE BREATHER(S)		
Rear Suspension			



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
622-298	TUFTRAC GEN2 46,000# REAR SPRING SUSPENSION		280
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)		
431-003	AXLE CLAMPING GROUP		
624-025	55 INCH AXLE SPACING		
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS		
439-002	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM)		40

Pusher / Tag Equipment

035-128	HENDRICKSON EX13 COMP 13,500# AIR LIFT STEERABLE PUSHER SUSPENSION, 15X4 BRAKES, FF1 AXLE	460	860
443-126	HENDRICKSON EX13 COMP 13,500# FF1 STEERABLE 15X4 BRAKE INTEGRAL PUSHER AXLE		
874-015	(1) DASH VALVE AND (1) GAUGE FOR SINGLE LIFT AXLE		
87F-005	REVERSE LIFT AXLE WIRING WITH LAST STATE RETENTION WITH IGNITION OFF		
896-015	(1)REGULATOR AND (1)GAUGE MOUNTED ON CHASSIS FOR SINGLE LIFT AXLE		
456-1AE	HENDRICKSON 15X4 CAM PUSHER/TAG BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
457-002	NON-ASBESTOS PUSHER/TAG BRAKE LINING		
448-023	CONMET CAST IRON PUSHER/TAG BRAKE DRUMS		
429-001	PUSHER/TAG BRAKE DUST SHIELDS		5
442-016	PUSHER/TAG OIL SEALS		
444-001	VENTED PUSHER/TAG HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
445-075	HALDEX LONGSTROKE PUSHER/TAG AXLE SERVICE CHAMBERS		
458-003	HALDEX AUTOMATIC PUSHER/TAG SLACK ADJUSTERS		
626-131	HENDRICKSON EX13 COMP 13,500# AIR LIFT STEERABLE PUSHER SUSPENSION		
627-005	51 INCH AXLE SPACING PUSHER/TAG		

Brake System

490-100	WABCO 4S/4M ABS		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-021	(2) 3-4.5 PSI RELAY VALVES, ONE FOR TANDEM AXLE AND ONE FOR PUSHER/TAG		
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
479-015	AIR DRYER FRAME MOUNTED		
460-093	STEEL AIR BRAKE RESERVOIRS; CUSTOMER ACCEPTS TANKS MOUNTED PERPENDICULAR TO RAIL	10	10
607-015	CLEAR FRAME RAIL FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, LH RAIL OUTBOARD		
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		

Trailer Connections

914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS
296-026	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE
297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT

Wheelbase & Frame

*	545-580	5800MM (228 INCH) WHEELBASE		
	546-1B2	1/2X3.64X11-7/8 INCH STEEL FRAME (12.7MMX301.6MM/0.5X11.88 INCH) 120KSI	590	170
	547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	185	410
	552-030	1600MM (63 INCH) REAR FRAME OVERHANG		
	55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH		
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 144.88 in		
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 141.88 in		
	AE4-99D	CALC'D FRAME LENGTH - OVERALL: 308.31		
N	FSS-0LH	CALCULATED FRAME SPACE LH SIDE: -6.02 in		



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
FSS-ORH	CALCULATED FRAME SPACE RH SIDE : 191.14 in		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 144.54 in		
553-001	SQUARE END OF FRAME		
550-001	FRONT CLOSING CROSSMEMBER		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30

Chassis Equipment

556-1AH	16.5 INCH CHROME STEEL STRAIGHT BUMPER		
558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE, STORED ON CHASSIS FRAME	15	
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		

Fuel Tanks

204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	20	
218-006	25 INCH DIAMETER FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-1K4	DAVCO 487 FUEL/WATER SEPARATOR WITH ESOC AND 12 VOLT PREHEATER	15	
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		

Tires

093-0TA	MICHELIN XZY-3 385/65R22.5 18 PLY RADIAL FRONT TIRES	130	
094-1UY	MICHELIN X MULTI D 11R22.5 16 PLY RADIAL REAR TIRES		120
095-2KR	MICHELIN X MULTI ENERGY Z 275/80R22.5 16 PLY RADIAL PUSHER/TAG TIRES		8

Hubs



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS		-60
449-060	CONMET PRESET PLUS PREMIUM IRON PUSHER/TAG HUBS		
Wheels			
502-091	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT 4.75 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	-8	
505-659	ACCURIDE 42644 ACCU-LITE 22.5X8.25 10-HP ALUMINUM DISC REAR WHEELS		-240
509-659	ACCURIDE 42644 ACCU-LITE 22.5X8.25 10-HUB PILOT ALUMINUM DISC PUSHER/TAG WHEELS		-60
Cab Exterior			
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTING		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
667-001	FRONT FENDERS		
754-002	3-1/2 INCH FENDER EXTENSIONS	15	
678-001	LH AND RH GRAB HANDLES		
645-002	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL		
646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS		
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
727-066	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	4	
726-001	SINGLE ELECTRIC HORN		
728-002	DUAL HORN SHIELDS		
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
78G-002	KEY QUANTITY OF 2		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-067	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS		
302-001	(5) AMBER MARKER LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
729-001	STANDARD SIDE/REAR REFLECTORS		
677-053	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN SHIELDING		
768-043	63X14 INCH TINTED REAR WINDOW		
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS		
654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)	4	
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD		
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR		

Cab Interior

707-1AK	OPAL GRAY VINYL INTERIOR		
706-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS		
708-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS		
772-006	BLACK MATS WITH SINGLE INSULATION		
785-004	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER		
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
742-007	(2) CUP HOLDERS LH AND RH DASH		
680-007	GRAY/CHARCOAL WING DASH		
860-004	SMART SWITCH EXPANSION MODULE		
720-002	2-1/2 LB. FIRE EXTINGUISHER	5	
700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
702-002	BINARY CONTROL, R-134A		



Prepared for:
 Al Halnes
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
739-033	STANDARD INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
284-023	(1) 12 VOLT POWER SUPPLY IN DASH		
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10	
756-1D9	PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER	70	
760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT		
759-006	DUAL DRIVER SEAT ARMRESTS AND INBOARD PASSENGER SEAT ARMREST	6	
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
768-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER		
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER		
763-101	BLACK SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10	
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

Instruments & Controls

732-003	WOODGRAIN DRIVER INSTRUMENT PANEL		
734-003	WOODGRAIN CENTER INSTRUMENT PANEL		
870-001	BLACK GAUGE BEZELS		
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
721-001	97 DB BACKUP ALARM		3
149-017	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)		



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
845-011	FUEL FILTER RESTRICTION INDICATOR		
148-085	EMISSIONS LIMITED IDLE ADJUST		
866-009	DUAL REAR AXLE TEMPERATURE GAUGES WITH SENSOR SHIELD		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
854-001	ENGINE OIL TEMPERATURE GAUGE		
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
679-001	OVERHEAD INSTRUMENT PANEL		
746-114	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939	10	
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD		
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
813-1B4	VT-HU CONNECTIVITY PLATFORM HARDWARE		
8D1-002	2 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, DETROIT CONNECT PORTAL ACCESS) FOR VT-HU CONNECTIVITY PLATFORM		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
482-001	BW TRACTOR PROTECTION VALVE		



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Data Code	Description	Weight Front	Weight Rear
883-001	TRAILER HAND CONTROL BRAKE VALVE		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		

Design

065-000 PAINT: ONE SOLID COLOR

Color

980-6H2 CAB COLOR A: L5495EY ULTRA RED PEARL METALLIC ELITE EY
 986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
 963-003 STANDARD E COAT/UNDERCOATING

Certification / Compliance

996-001 U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Secondary Factory Options

998-001 CORPORATE PDI CENTER IN-SERVICE ONLY
 * 999-034 DEALER ADVISED AND ACCEPTS TERMS OF PIL #395; SPEED OF LOADED VEHICLE MUST BE LIMITED TO 5 MPH MAXIMUM WHEN LIFTABLE AXLE IS RAISED

Raw Performance Data

AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 141.88 in
 AM6-99D CALC'D SPACE AVAILABLE FOR DECKPLATE: 144.54 in

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY



Prepared for:
 Al Haines
 CRAIGHEAD COUNTY
 511 Union St
 Jonesboro, AR 72401
 Phone: 870-933-4510

Prepared by:
 Kaleb Moore
 TAG Truck Center
 4450 AMERICAN WAY
 Memphis, TN 38118
 Phone: 870-972-8588

Weight Summary			
	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	10338 lbs	8617 lbs	18955 lbs
Total Weight ⁺	10338 lbs	8617 lbs	18955 lbs

Extended Warranty	
WAI-10V	EW4 DD13 VOC \$0 DEDUCTIBLE 5 YEARS/200,000 MILES/322,000 KM FEX APPLIES
WAK-140	ALLISON 4500 RDS SERIES TRANSMISSION EXTENDED WARRANTY, 5 YEARS/UNLIMITED MILES FEX
WAG-012	TOWING: 3 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES

(+) Weights shown are estimates only.
 If weight is critical, contact Customer Application Engineering.

(****) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.





Ox Bodies | Crysteel | DuraClass | Rugby | J-Craft | Tralls
PROUDLY MADE IN THE USA

Quote Response Form

Page 1 of 3
01/18/2021 01:05 PM

Ox Bodies INC
719 Columbus Street East
Fayette AL 35555
USA
800-844-2519

End User: UNKNOWN
Customer: 33162
Kaleb Moore
Tag Truck Center
5712 Commerce Square
Jonesboro AR 72401
USA

Phone: 870-819-1740

Fax:

Taken By: Lindsey Doolittle

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer	Currency
FA01045131	Net 30 Days	1/18/2021	2/17/2021	LAUREANO, JOSE		USD

UM	Quantity	Item	Description	Unit Price	Extended Price
EA	1.00	1989958	SP85-1600-2020YD-74133-62/60/62STR-STD-T	19,983.25	19,983.25



Quote Response Form

Ox Bodies | Crystal | DuraClass | Rugby | J-Craft | Travs
PROUDLY MADE IN THE USA

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer	Currency
FA01045131	Net 30 Days	1/18/2021	2/17/2021	LAUREANO, JOSE		USD

UM	Quantity	Item	Description	Unit Price	Extended Price
----	----------	------	-------------	------------	----------------

Yardage 19/19

Body: Stampede

Body: 16' STAMPEDE

Hoist Model: 74133

Frame Style: 2x8 RT (frameless)

Rear Style: Straight

Front Exhaust Notch: No

Front Height: 62"

Side Height Front: 60" 1/4 HardOx 450

Side Height Rear: 60"

Rear Height: 62" 1/4 HardOx 450

Floor Material: 1/4" Hardox 450

Cabshield Style: Full Width

Cabshield Projection: 36"

Cabshield Width: 85"

Tarp Style: Electric - Mountain

Tailgate Type: Standard

Sealed Tailgate: No

Coal Chute: None

Tailgate Operation: 1248914-Air Tailgate

Tailgate Bracing Style: 2 Horizontal (TG height 55" to 64")

Side Top Rail: Diamond-1/4"X4"X4"

Dump Assist Vibrator: No

Dump Apron: Sch # 80 - 10"

Side Light Cutouts: Lower Front/Rear Clearance

Cabshield Cutouts: 1 Set Strobe/ 1 Set Std Marker

Metro Light Cutouts: 1 set Red/ 1 set Amber Strobe

Dirt Shedding Angle: Tailgate only

Board Holder Height: None

ID: 85"

Cover Skirts with Alum: No

Cab Height: TBV

Paint Black

Truck: Freightliner

Truck: Installed

Side Boards: None

Hydraulic Tank: 1250596-Pyramid Flat Bottom Standard

Rear Hinge: Standard - Removable Pin

Hoist: 74133

Cab Controls: Auto Trans: CTRL KIT ES PTO/CABLE TO PUMP PHINS

Pump - Auto Trans: PUMP KIT CS/AUTO G102-D1-2.0(073)C/W ROT

PTO - Auto Transmission: PTO KIT ELEC AT 280GDFJP-B5RK PHINST

Mud Flaps: 30" Standard Mud Flaps w/GG

Backup Alarm: 1248915-Back-Up Alarm

Side Light Quantity: Lower Front Amber / Rear Clearance Red

Cab Shield Light Quantity: 1 set std marker/ 1 set Amber strobe

Metro Light Quantity: 1 set Red/ 1 set Amber Strobe



Ox Bodies | Crystal | DuraClass | Rugby | J-Craft | Traxs
PROUDLY MADE IN THE USA

Quote Response Form

Ox Bodies INC
719 Columbus Street East
Fayette AL 35555
USA
800-844-2519

End User: UNKNOWN
Customer: 33162
Kaleb Moore
Tag Truck Center
5712 Commerce Square
Jonesboro AR 72401
USA

Phone: 870-819-1740

Fax:

Taken By: Lindsey Doolittle

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer	Currency
FA01045131	Net 30 Days	1/18/2021	2/17/2021	LAUREANO, JOSE		USD

UM	Quantity	Item	Description	Unit Price	Extended Price
EA	1.00	2262590	TARP ELEC-MOUNTAIN-10-16'-VNYL-N/FL-INST	1,305.30	1,305.30

Lift Axle:

Alignment of lift axle must be performed by end user prior to the unit being placed in service. Failure to properly align the axle prior to being placed in service can cause non-warrantable failure, including but not limited to premature tire wear. The end user is responsible for the alignment prior to placing the unit in service.

PTO Maintenance:

Per OEM manufacturer guidelines the following recommendations should be followed. Failure to follow OEM guidelines can result in non warrantable failure.
Within the first week of use, recheck the installation of the PTO. Check for leaks and loose mounting hardware (studs, cap screws, nuts). Recheck the cable or lever connections for proper adjustment and tighten any loose connections. At regular maintenance intervals, check adjustments and lubricate moving parts, tighten and repair the connections, mounting hardware, cable or lever linkage. Refer to OEM owners manual for regular maintenance intervals.

**By signing below I acknowledge that I have reviewed the specs above and confirmed they are correct. I understand that once my order is placed and sent into production that I will not be able to make changes to the order. I assume full ownership of the body once production begins.

X _____

TRUCK YEAR/MAKE/MODEL _____ CLEAR CT: _____

VIN _____ TRANS _____

ETA _____ DUMP BODY COLOR _____

Pto switch in dash is recommended for all automatic or automated transmissions.

**Tractor valve must be in cab for glads to be plumbed **

Verify ship to address on quote.

Gross Sales:	22,409.00
Order Disc	1,120.45
Sale Amount:	21,288.55
Freight:	0.00
Sales Tax:	0.00
FET Charges:	0.00
Total Amount:	21,288.55

Prepared for:
Al Haines
CRAIGHEAD COUNTY
511 Union St
Jonesboro, AR 72401
Phone: 870-933-4510


Prepared by:
Kaleb Moore
TAG Truck Center
4450 AMERICAN WAY
Memphis, TN 38118
Phone: 870-972-8588

A proposal for
CRAIGHEAD COUNTY

Prepared by
TAG Truck Center
Kaleb Moore

Feb 01, 2021

Freightliner 114SD



Components shown may not reflect all spec'd options and are not to scale



Summit Truck Group
2021 International HX

Joe Bridges 870 559-1274

Joe.bridges@summittruckgroup.com

CRAIGHEAD COUNTY
INVITATION TO BID-Not an Order
Craighead County Judge's Office
511 Union St., Suite 119
Jonesboro, Arkansas 72401

PURCHASING OFFICE
BID NO. 2021-4
DATE: January 18, 2021

Sealed bids, subject to the conditions on the reverse hereof, and as may be attached hereto, will be received at this office until 2:00 PM, February 3, 2021 and then publicly opened, for furnishing the supplies, materials, and/or services as described below.

Bids will be opened February 3, 2021.
2:00 P.M. Local Time

F.O.B Jonesboro, Arkansas
Maximum Delivery or completion time after issuance of Purchase Order or work ordered by County 120 days.
BY: Al Haines
PURCHASING DIRECTOR

Item #	DESCRIPTION	QUANT	UNIT	UNIT PRICE	AMOUNT
1	Furnish two (2) each Dump Trucks with Automatic transmissions and with installed dump beds to Craighead County Road Department, 2800 Moore Road, Jonesboro, AR. 72401 according to attached specifications. Trucks are to have dump beds and hydraulics installed and fully operational when delivered.	2			
2	This bid package contains 6 pages. All 6 pages must be returned to complete bid.				
3	Bid must be signed by authorized company representative.				
4	Bidder should: A. Clearly define and list warranty information on each item in years. B. Include all labor, delivery charges, training, programming, and any other charges FOB Jonesboro, Arkansas 72401, in bid price. C. Include product literature and specifications with bid. D. All relevant information will be considered when determining best bid for Craighead County. E. Specify cash discounts, if available. F. Note bid number on outside of bid envelope. G. Specify approximate ship time in days, if awarded bid. H. List make, model, and manufacturer of equipment being offered. I. Quote same or equal equipment in all aspects. J. Specify nearest service and parts supply location to Jonesboro, AR.				
5	Does bidder meet all dump truck specifications? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If no, clearly list and define differences on a separate sheet.				
6	Attached equipment list with names and part numbers is for reference.				
7	Bidder should put total bid price on this sheet. Total bid price is \$ 317,800				
8	Bidder shall list purchase price per unit here. \$ 158,900 Buyback price per unit here. \$ 98,500				

EXECUTION OF BID Date 1/27/2020

We, the undersigned, have read all the requirements set forth in this bid proposal including specifications, instructions, conditions, and pertinent information regarding the articles being bid on, and we agree to furnish articles at the prices stated.

Arkansas Use Tax Register No. F481
Bidder Joe Bridges Address 5711 Commerce Square Jonesboro 72401
(Person Authorized to Sign Bids) Title

UNSIGNED BIDS WILL BE REJECTED
BIDS ARE SUBJECT TO REJECTION UNLESS SUBMITTED ON THIS FORM
NOTICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS FOR INSTRUCTIONS AND CONDITIONS.

**CRAIGHEAD COUNTY
JONESBORO, ARKANSAS
CONDITIONS OF BIDDING**

Compliance with the following conditions is necessary for consideration of this bid.

- 1 **Signature**-This bid must be signed with the firm name and by an authorized officer, employee or agent.
- 2 **Sales Tax**-Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to the County.
The County is exempt from Arkansas State Sales Tax on road equipment and vehicles. Contractors are to include all costs into the bid price, including applicable taxes.
- 3 **Freight and other delivery charges**-to destination at designated County facility in the County must be included in bid.
Charges may not be added after the bid is opened.
- 4 **Discounts**-Show rate, total amount, and latest day any discounts will be allowed after receipt of article and invoice, otherwise County will deduct allowed discount when payment is made.
- 5 **Firm Price**-All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise specified by the County or bidder
- 6 **Tax Exempt**-Craighead County is exempt from State sales tax on self propelled equipment and motor vehicles.
Example: Motor graders, excavators, dozers, dump trucks, pickup trucks, etc.
- 7 **Identical Bids**-In the event of two or more identical low bids, the contract may be awarded arbitrarily or for any reason to any of such bidders, or split in any proportion between the said two or more bidders at discretion of the County.
- 8 **Clean up**-Complete cleanup and proper disposal of any and all job related items is considered to be a part of any contract let by Craighead County.
- 9 **Ambiguity in bid**-Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compliance specifications, instructions, and all conditions of bidding shall be construed in the light most favorable to the County
- 10 **Construction**
A. When requested, the Contractor is to supply the County with evidence of having and maintaining proper and specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansas, Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way will the County be responsible in case of accident.
B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for erection of any public building, public structure, or public improvement.(Pursuant to Arkansas Code: 18-44-503.)
- 11 The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalities in bids received, to accept bids on materials or equipment with variations from specifications in those cases where efficiency of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the bid. If unit prices and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether reflected by extension or by the correct multiple of the unit price.

INSTRUCTIONS TO BIDDERS

(Please read carefully)

- 1 Submit bid on bid form attached or reverse side of this sheet.
- 2 Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St., Suite 119, Jonesboro, Arkansas 72401 and make certain to indicate identifying bid number on the outside of bid envelope.
- 3 **DO NOT** include Federal Excise Tax in bid. County will furnish exemption certificate.
- 4 State Manufacturer, Brand Name, Model, etc. for each item bid on.
- 5 Samples of items, when required must be furnished free, and, if not called for within 30 days from date of bid opening, will be disposed of by the County
- 6 Bids received after stated time will not be considered.
- 7 Be sure and read all conditions and verify amounts before submitting bids. No changes or additions will be allowed after submission.
- 8 Guarantees and warranties should be attached as a part of the bid, as they may be a consideration in awarding contract.
- 9 Delivery or contract completion time is to be shown, as this date may, where time is of the essence, determine the contract award.
- 10 Additional information may be obtained from the Purchasing Department.

**THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR BIDS
AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.**

General			
A	Trucks (automatic transmissions) and dump beds shall be the latest year model in current production with proven performance by manufacturer and shall meet all federal emissions and all other EPA regulations. (Specify year model)		
B	All bidders shall offer a guaranteed three (3) year dealer buy back program and clearly defining buy back dollar amount, time frame and mileage and other criteria for the buy back program.		
C	Bidder shall bid truck and bed with a three (3) year/150,000 mile dealer buyback program. Dealer should guarantee any outside vendors and/or companies that supply buy back pricing.		
D	Note: Part of specifications may be Freightliner specific. Please bid equal equipment.		
E	Note: Part of specifications may be Godwin EL series specific. Please bid equal equipment.		
VEHICLE AND DUMP BED SPECIFICATIONS			
F	Dump Bed Specifications (Beds being offered shall be equal to the following specifications)	Meet Specifications	
		Yes	No
1	R/S Godwin Truck Body Company Model EL 16052311	✓	
2	Elliptical floor, length 192, Pivot 180 degrees, Inside width 88, Side height 52.	✓	
3	Custom single acting hoist, Electric Tarp system-6200.	✓	
4	6" diameter cylinder rod(3) stage cylinder with 2000 PSI	✓	
5	Hoist lifting capacity 56,540 lbs. (28 ton)	✓	
6	140" cylinder stroke	✓	
7	50 degree dump angle	✓	
8	High lift gate (6') opening discharge	✓	
9	16 Cubic yard capacity	✓	
10	Fender bottom rail 10 gauge, Wood Board gusset height 8", Bulkhead 74.	✓	
11	All Hydraulics, All safety features, flaps, lights,	✓	
12	Air shift PTO	✓	
13	Asphalt apron, Deck 1/4" AR450, Sides 3/16" AR450, Rear post material 1/4" high tensile	✓	
14	Air operated tailgate, High lift, Height 56, Material, 3/16" hardox AR450, air operated controls.	✓	
Vehicle Configuration			
1	114SD CONVENTIONAL CHASSIS	✓	
2	SPECIFY MODEL YEAR (1) 2021 ; (1) 2022	✓	
3	SET FORWARD AXLE - TRUCK	✓	
4	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	✓	
5	FREIGHTLINER LEVEL II WARRANTY	✓	
6	EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs.	✓	
7	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs.	✓	
8	EXPECTED PUSHER AXLE(S) LOAD : 12350.0 lbs.	✓	
9	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 76350.0 lbs.	✓	
10	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs.	✓	
11	DD13 12.8L 450 HP @ 1800 RPM, 2080 GOV RPM, 1650 LB/FT @ 1100 RPM	15L Cummins	EXCEEDS
12	2010 EPA/CARB EMISSION CERTIFICATION		
13	OR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	✓	
14	(3) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 3375 CCA THREADED STUD BATTERIES	✓	
15	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART MOUNTED NEAR/ON BATTERY TRAY/BOX	✓	
16	ZF-SACHS 15-1/2 INCH TWIN XTEND ULTRA SOFT DAMPER CERAMIC CLUTCH	✓	

89	CAB INSULATION	✓			
90	SOLID-STATE CIRCUIT PROTECTION AND FUSES	✓			
91	LH AND RH ELECTRIC DOOR LOCKS	✓			
92	(1) 12 VOLT POWER SUPPLY IN DASH	✓			
93	TRIANGULAR REFLECTORS WITHOUT FLARES	✓			
94	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH AIR LUMBAR	✓			
95	HIGH BACK NON SUSPENSION PASSENGER SEAT	✓			
96	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	✓			
97	CLOTH DRIVER SEAT COVER	✓			
98	CLOTH PASSENGER SEAT COVER	✓			
99	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	✓			
100	97 DB BACKUP ALARM	✓			
101	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)	✓			
102	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA-LINKED, ICUS	✓			
103	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH	✓			
104	2 INCH ELECTRIC FUEL GAUGE	✓			
105	FUEL FILTER RESTRICTION INDICATOR	✓			
106	DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES	✓			
107	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	✓			
108	ENGINE OIL TEMPERATURE GAUGE	✓			
109	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	✓			
110	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	✓			
111	ELECTRIC ENGINE OIL PRESSURE GAUGE	✓			
112	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	✓			
113	DASH MOUNTED RADIO	✓			
114	ELECTRONIC 3000 RPM TACHOMETER	✓			
115	TRAILER HAND CONTROL BRAKE VALVE	✓			
116	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	✓			
117	PAINT: ONE SOLID COLOR	✓			
118	CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC)	✓			
119	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	✓			
120	Weight Front 9324 lbs. Weight Rear 9694 lbs. Total Weight 19,018 lbs.				
Unit cost and buy back proposal					
1	Bidder shall list the purchase price per unit here and on top sheet.				\$ 158,900
2	Bidder shall list the guaranteed three (3) year/150,000 mile dealer buy back price here per unit and on top sheet.				\$ 98,500

ONE white one Red



Subsidiary of Tishomingo Special Acquisition

Ox Bodies | Crysteel | DuraClass | Rugby | J-Craft | Travis
 Tishomingo ACQ
 1425 Highway 25 North
 Tishomingo MS 38873
 USA

A/R 662-438-7820
 Sales 800-255-4345
 Warranty 662-438-7834

Invoice Number: TI00035070
 Page: 1 of 1
 Date: 7/31/2020
 Salesperson: WELCH, DONNIE
 Taken By:

Regular Invoice

Tax ID: 20-5429431

Tax ID:

B 105978
 I SUMMIT TRUCK GROUP- SPRINGFIELD
 L 2635 E. DIAMOND STREET
 L SPRINGFIELD MO 65803
 T US
 O

End User:

S
 H SUMMIT TRUCK GROUP- SPRINGFIELD
 I 2635 E. DIAMOND STREET
 P SPRINGFIELD MO 65803
 T US
 O

VIN Number:3HTDTAPT4MN339696

Unit Number:

Order	Purchase Order	Packages	Prepaid	Weight	Ship Via	Terms	
TI00061412	51305		0.00				
Item	Description	U/M	Qty Ordered	Qty Shipped	Back Order	Unit Price	Extended Price
2254290	HPTB 20YD 17 X 7 INSTALLED	EA	1.00	1.00	0.00	20,135.36	20,135.36
				Date Shipped: 7/31/2020			
		Serial Numbers: 181821M					
1882330	TARP ELE CS MT MSH 14-17 INS PKG-DC	EA	1.00	1.00	0.00	1,308.62	1,308.62
				Date Shipped: 7/31/2020			
2018707	1" PINTLE PLATE & 30T HOOK KIT, GLADS	EA	1.00	1.00	0.00	688.02	688.02
				Date Shipped: 7/31/2020			

Please Send Payments to:
 TBEI - DuraClass
 PO Box 772849
 Chicago, IL 60677-2849

Unless otherwise stated, all shipments are FOB (Tishomingo/MS) and our responsibility for delivery ceases upon receipt by carrier. Do not return merchandise or make deductions from remittance unless authorized by (Tishomingo Acquisition, LLC). Reference original sales acknowledgement for complete order details.

Sales Amount	22,132.00
FET Charges	0.00
Freight	0.00
Surcharge	0.00
Sales Tax	0.00
Prepaid Amount	0.00
Total	22,132.00

Quote#: _____

Duraclass

Date: _____

Taken by: _____

Body Quote Sheet

Entered By: _____

Summit Truck Group

Order: 5-29-20

Customer:

Contact: Chris Helman

PO: _____

Phone: _____

Fax: _____

Email: Chris.Helman@summittruckgroup.com

Qty: 1

Year Model: 2020 International Model HX620 SBA

Address: 7700 NE 38th St.

Kansas City, MO 64161

VIN: MN-339528

Application: 17' HPTB-1

Due Date (quote):		Due date (chassis)		Early June 2020	
YB	SDYB	SL	SL316	Contractor	HM
HH	HPT	HPT316	HPTB	Other	Side Winder
Ship Out	Installed	Replacement Box			

**Body: Sale Price \$21,582.00; Add \$550.00 for Tread Plate on Lower Fenders
Total: \$22,132.00- FOB – Tishomingo, MS (** estimate on freight, last page)**

Length: 17' Yardage: 21 Side Height: 60" Rear Height: 64"

Width (ID/OD): 84" Hoist: 63-140

Frame Style: crossmemberless Heated No

Rear Style: Straight gate Exhaust Notch: None

Material: Side/Front: Sides 1/4" AR450; Front 3/16" AR-450

Floor: 1/4" AR-450 Rear: 3/16" AR-450

Cab Shield Style: 1/2 - New style Projection: 24" Width: Full

Tarp Style: Electric with Mesh Cover, Mountain with Un-breakable Arms

Tail Gate Type: **Straight High Lift Gate, Air Controlled with cylinders in rear post....** Sealed: No Chute(s): None

Tail Gate Operation: Air / Air hi lift Tail Gate Bracing: **None – Perimeter Only**

Side Brace Style: (**smooth**) (sloped vert) (horizontal) (vertical/horizontal)

Tread Plate Alum Skirt: **YES** Insulated Side/Front: No Vibrator: No

Dump Apron: 10" or 12" Pipe Push, 30 degree slope

Dirt Shedding Angle: None Board Holder Height: 10" for 2X12

Side Light Cut Outs: **Per order specs** Metro Light Cut Outs: _____

Strobe Lights: _____
Cab Height from top of frame: TBD" top of horns Cab shield Height above frame: TBD"
Paint code/color: **Black**

NOTES: **- Air Operated High Lift Gate, Cylinders in rear post....**

(No axles required) Axles and tires will be on chassis from manufacture

Ladder left front, inside and outside per specs.... One Rung under Left Rub Rail front close to front, to be easy to reach side body step 3 steps up sides and 3 steps inside turned on edge per prior specs...
Add Grab Handle...

- New style Cab shield
- Plump PTO thru primary air supply
- Shovel holder underbody behind ladder

Install:

Side Boards: 2X12 with taper at rear Rear Hinge: Greasable removable pin

Hydraulic Tank: Steel

Cab Controls:	Manual Transmission	Automatic Transmission
Tarp Make/Model	Air Shift PTO / Cable Shift Pump	Electric Shift PTO / Cable Shift Pump
Tarp cover type:	Air Shift PTO / Air Shift Feathering Pump	Electric Shift PTO / Air Shift Feathering Pump
Pump:	Manual Transmission	Automatic Transmission
None	Cable Shift Air Shift - C102-D2.53	Cable Shift Air Shift - C102-D2.5
	Cable Shift Air Shift - G102-D12.0(077)	Cable Shift Air Shift - G102-D1-2.0(073)

PTO(Transmission): Allison RDS -4500

Mud Flaps: Front and Rear, Front anti sail

Chassis Layout:

CT Dimension: TBD" Overhang Dimension: TBD"

Interference Behind Cab: None Off Cab Dimension: TBD

Accessories:

Liftable Axle(s): On Chassis Lift Axle Model (W/C or Hendrickson) Capacity:
Axle centers requested: _____ Tire Size: (If DC is not supplying)

Tires: _____ Wheels: _____

Pintle Hitch Model/Capacity: 35 Ton Hitch Height: (std 26" +/- 1/2") **Standard Height**

Notes: regarding special lighting, control layout, factory switch use (attach photos if avail):

We will put your Glad hands and all electric at Pintle Plate (Please run to rear of chassis)

-All lights per light on last order		
-Series 60 side light wired thru turn signal		
-Flaps front and rear		
Body Total		\$22,132.00
	*Sales Tax	Not included
	*FET	Not Included
**Freight – Tishomingo to Kansas City 588 miles X \$3.00 per mile = \$1764.00	Freight	
(*Need tax exempt forms)	Total:	\$22,132.00



International Vehicle Information

Home Publications Service Reference
Write Up Dealer Warranty Support

Chassis / VIN Number

Summary Health Report Managed Repairs Details Components Serial Numbers Warranty Coverage SRT
Warranty History IKNow Search Case History IApprove IRequest

Components				
VIN : 3HTDTAPT4MN339696			212 components found. <input type="button" value="Export"/>	
S.No	Class Description	Parts Catalog Component	Component Line Drawing	Description
1	FRAMES	<u>0001AMS</u>	<u>0001AMS</u>	CROSSMEMBER, FRAME TIE for Heavy Duty
2	FRAMES	<u>0001CGD</u>	<u>0001CGD</u>	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.50" x 3.750" x 0.500" (317.5mm x 95.25mm x 12.7mm); 480.8" (12212mm) Maximum OAL
3	FRAMES	<u>0001LTE</u>	<u>0001LTE</u>	BUMPER, FRONT Contoured, Aluminum, Stainless Steel Clad, Heavy Duty
4	FRAMES	<u>0001VBC</u>	<u>0001VBC</u>	TOW PIN, FRONT Heavy Duty; 150,000-lb. Total Capacity
5	FRAMES	<u>0001WXL</u>	<u>0001WXL</u>	WHEELBASE RANGE 191" (485cm) Through and Including 236" (600cm)
6	FRAMES	<u>0001652</u>	<u>0001652</u>	CROSSMEMBER, REAR Relocated to End of Frame
7	FRONT AXLES	<u>0002ARY</u>	<u>0002ARY</u>	AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
8	FRONT SUSPENSIONS	<u>0003AGA</u>	<u>0003AGA</u>	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers
9	BRAKES	<u>0004AZJ</u>	<u>0004AZJ</u>	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System, with Automatic Traction Control
10	BRAKES	<u>0004EBS</u>	<u>0004EBS</u>	AIR DRYER {Bendix AD-9} with Heater
11	BRAKES	<u>0004EYB</u>	<u>0004EYB</u>	BRAKE LININGS, FRONT {Bendix Spicer BX283+}
12	BRAKES	<u>0004EYC</u>	<u>0004EYC</u>	BRAKE LININGS, REAR {Bendix Spicer BX283+}
13	BRAKES	<u>0004EYE</u>	<u>0004EYE</u>	BRAKE CHAMBERS, REAR AXLE Piston Style Brake Chambers, for Use with 20/24 Air Disc Brakes
				BRAKES, AIR CAM, PUSHER AXLE S-Cam;

14	BRAKES	<u>0004JCK</u>	<u>0004JCK</u>	16.5" x 6.0"; Includes MGM 30 Sq. In. Brake Chambers; Furnished with One Pusher Lift Axle
15	BRAKES	<u>0004JCN</u>	<u>0004JCN</u>	BRAKES, FRONT, AIR DISC 22.5 Dia, Includes 20" Sq. In. Brake Chambers
16	BRAKES	<u>0004JNJ</u>	<u>0004JNJ</u>	SLACK ADJUSTER, PUSHER AXLE {Haldex} Automatic; for Single Pusher Axle
17	BRAKES	<u>0004JNT</u>	<u>0004JNT</u>	BRAKES, REAR, AIR DISC 22.5 Dia, Includes 20/24" Sq. In. Brake Chambers
18	BRAKES	<u>0004SPA</u>	<u>0004SPA</u>	AIR COMPRESSOR {Cummins} 18.7 CFM
19	BRAKES	<u>0004VGM</u>	<u>0004VGM</u>	AIR TANK Polished Aluminum, with Straight Thread O-Ring Ports
20	BRAKES	<u>0004WEY</u>	<u>0004WEY</u>	BRAKE PACKAGE, REAR {Bendix Spicer ADB22X} Air Disc Type, Extended Service, Size 22.5"
21	BRAKES	<u>0004WEZ</u>	<u>0004WEZ</u>	BRAKE PACKAGE, FRONT {Bendix Spicer ADB22X} Air Disc Type, Extended Service, Size 22.5"
22	BRAKES	<u>0004WRJ</u>	<u>0004WRJ</u>	AIR COMPRESSOR DISCHARGE LINE 1/2" ID to 5/8" ID Teflon Hose, with Stainless Steel Braid; to Air Dryer
23	BRAKES	<u>0004091</u>	<u>0004091</u>	BRAKE SYSTEM, AIR, Dual System for Straight Truck Applications
24	BRAKES	<u>0004619</u>	<u>0004619</u>	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck
25	BRAKES	<u>0004732</u>	<u>0004732</u>	DRAIN VALVE {Berg} with Pull Chain, for Air Tank
26	STEERING	<u>0005CAW</u>	<u>0005CAW</u>	STEERING WHEEL 4-Spoke; 18" Dia., Black
27	STEERING	<u>0005PTB</u>	<u>0005PTB</u>	STEERING GEAR (2) {Sheppard M100/M80} Dual Power
28	STEERING	<u>0005710</u>	<u>0005710</u>	STEERING COLUMN Tilting and Telescoping
29	DRIVELINES	<u>0006DGX</u>	<u>0006DGX</u>	DRIVELINE SYSTEM {Dana Spicer} Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4
30	EXHAUST SYSTEMS	<u>0007BLJ</u>	<u>0007BLJ</u>	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side
31	EXHAUST SYSTEMS	<u>0007SAP</u>	<u>0007SAP</u>	ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine
32	EXHAUST SYSTEMS	<u>0007WBA</u>	<u>0007WBA</u>	TAIL PIPE (1) Turnback Type, Bright
33	EXHAUST SYSTEMS	<u>0007WBS</u>	<u>0007WBS</u>	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel
34	EXHAUST SYSTEMS	<u>0007WDM</u>	<u>0007WDM</u>	EXHAUST HEIGHT 10'
35	ELECTRICAL SYSTEMS	<u>0008GXJ</u>	<u>0008GXJ</u>	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount
36	ELECTRICAL SYSTEMS	<u>0008HAE</u>	<u>0008HAE</u>	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
	ELECTRICAL			BATTERY SYSTEM {Fleetrite} Maintenance-

37	SYSTEMS	<u>0008MJU</u>	<u>0008MJU</u>	Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud
38	ELECTRICAL SYSTEMS	<u>0008RMA</u>	<u>0008RMA</u>	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers
39	ELECTRICAL SYSTEMS	<u>0008RMG</u>	<u>0008RMG</u>	ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror
40	ELECTRICAL SYSTEMS	<u>0008TKJ</u>	<u>0008TKJ</u>	STOP, TURN, TAIL & B/U LIGHTS {Truck Lite} Super 44, with LED Lights for Stop, Turn, Tail and Backup Lights, with Power Module, "International" Termination and and Less Junction Box, Includes License Plate Light
41	ELECTRICAL SYSTEMS	<u>0008VAY</u>	<u>0008VAY</u>	HORN, ELECTRIC Disc Style
42	ELECTRICAL SYSTEMS	<u>0008VUK</u>	<u>0008VUK</u>	BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab
43	ELECTRICAL SYSTEMS	<u>0008WBW</u>	<u>0008WBW</u>	JUMP START STUD Remote Mounted
44	ELECTRICAL SYSTEMS	<u>0008WCK</u>	<u>0008WCK</u>	POWER SOURCE, TERMINAL TYPE 2-Post
45	ELECTRICAL SYSTEMS	<u>0008WDG</u>	<u>0008WDG</u>	BACK-UP ALARM {Preco 1059} Electronic; Solid State, Dual Function, 112 dBA
46	ELECTRICAL SYSTEMS	<u>0008WEZ</u>	<u>0008WEZ</u>	TURN SIGNAL SWITCH Self-Canceling
47	ELECTRICAL SYSTEMS	<u>0008WHJ</u>	<u>0008WHJ</u>	HORN, AIR (2) Rectangular Bell, Chrome
48	ELECTRICAL SYSTEMS	<u>0008WNH</u>	<u>0008WNH</u>	RUNNING LIGHT (2) Daytime
49	ELECTRICAL SYSTEMS	<u>0008WRB</u>	<u>0008WRB</u>	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on
50	ELECTRICAL SYSTEMS	<u>0008WTL</u>	<u>0008WTL</u>	STARTING MOTOR {Delco Remy 39MT} 12 Volt, Gear Reduced, with Thermal Over-Crank Protection
51	ELECTRICAL SYSTEMS	<u>0008XAH</u>	<u>0008XAH</u>	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
52	ELECTRICAL SYSTEMS	<u>0008XCC</u>	<u>0008XCC</u>	TOGGLE SWITCH, AUXILIARY (2) with Two 20-Amp Fuses/Circuit Breakers
53	ELECTRICAL SYSTEMS	<u>0008XHT</u>	<u>0008XHT</u>	HEADLIGHTS Halogen, Composite Combination
54	ELECTRICAL SYSTEMS	<u>0008000</u>	<u>0008000</u>	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
55	ELECTRICAL SYSTEMS	<u>0008554</u>	<u>0008554</u>	TRAILER CONNECTION SOCKET 7-Way, Mounted at Rear of Frame
56	ELECTRICAL SYSTEMS	<u>0008718</u>	<u>0008718</u>	POWER SOURCE Cigar Type Receptacle without Plug and Cord
57	FRONT END	<u>0009AAB</u>	<u>0009AAB</u>	LOGOS EXTERIOR Model Badges
58	FRONT END	<u>0009AAE</u>	<u>0009AAE</u>	LOGOS EXTERIOR, ENGINE Badges
59	FRONT END	<u>0009ASE</u>	<u>0009ASE</u>	FRONT END Tilting, Composite
60	FRONT END	<u>0009HCN</u>	<u>0009HCN</u>	GRILLE Chrome Vertical Accent Bars, with

				Black Mesh
61	FRONT END	<u>0009WAC</u>	<u>0009WAC</u>	BUG SCREEN Mounted Behind Grille
62	FRONT END	<u>0009585</u>	<u>0009585</u>	FENDER EXTENSIONS Rubber
63	SPEEDOMETER, TOOLS, MISC	<u>0010NZL</u>	<u>0010NZL</u>	SPECIAL RATING, GVWR Limited to 80,000- lb GVWR
64	SPEEDOMETER, TOOLS, MISC	<u>0010WBA</u>	<u>0010WBA</u>	KEYS - ALL ALIKE, ID Z-250
65	SPEEDOMETER, TOOLS, MISC	<u>0010WCY</u>	<u>0010WCY</u>	SAFETY TRIANGLES
66	SPEEDOMETER, TOOLS, MISC	<u>0010000</u>	<u>0010000</u>	SPEEDOMETER and Miscellaneous
67	SPEEDOMETER, TOOLS, MISC	<u>0010060</u>	<u>0010060</u>	PAINT SCHEMATIC, PT-1 Single Color, Design 100
68	SPEEDOMETER, TOOLS, MISC	<u>0010210</u>	<u>0010210</u>	LABEL Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY
69	SPEEDOMETER, TOOLS, MISC	<u>0010761</u>	<u>0010761</u>	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
70	SPEEDOMETER, TOOLS, MISC	<u>0010943</u>	<u>0010943</u>	KEYS - ALL ALIKE Fleet - Includes Ignition and Cab Door Keys
71	CLUTCH	<u>0011001</u>	<u>0011001</u>	CLUTCH Omit Item (Clutch & Control)
72	ENGINE	<u>0012ELC</u>	<u>0012ELC</u>	ENGINE, DIESEL {Cummins X15 485} Performance Series, EPA 2017, 485HP @ 1950 RPM, 1650 lb-ft Torque @ 1150 RPM, 2000 RPM Governed Speed, 497 Peak HP (Max)
73	ENGINE	<u>0012THT</u>	<u>0012THT</u>	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed
74	ENGINE	<u>0012VBA</u>	<u>0012VBA</u>	AIR CLEANER Dual, Polished Stainless Steel, One Mounted on Each Side of Cowl Ahead of The Doors
75	ENGINE	<u>0012VHE</u>	<u>0012VHE</u>	FEDERAL EMISSIONS {Cummins X15} EPA, OBD and GHG Certified for Calendar Year 2020
76	ENGINE	<u>0012WBR</u>	<u>0012WBR</u>	FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)
77	ENGINE	<u>0012WCX</u>	<u>0012WCX</u>	HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type
78	ENGINE	<u>0012WTA</u>	<u>0012WTA</u>	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
79	ENGINE	<u>0012WYW</u>	<u>0012WYW</u>	BLOCK HEATER, ENGINE {Phillips} 120V/1500W, with "Y" Cord for 120V/300W Oil Pan Heater
80	ENGINE	<u>0012WYZ</u>	<u>0012WYZ</u>	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System
81	ENGINE	<u>0012WZJ</u>	<u>0012WZJ</u>	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door
82	ENGINE	<u>0012XBC</u>	<u>0012XBC</u>	RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler

83	ENGINE	<u>0012703</u>	<u>0012703</u>	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
84	TRANSMISSION	<u>0013AUW</u>	<u>0013AUW</u>	TRANSMISSION, AUTOMATIC {Allison 4500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway
85	TRANSMISSION	<u>0013WBL</u>	<u>0013WBL</u>	TRANSMISSION SHIFT CONTROL {Allison} Push-Button, for Allison 3000 & 4000 Series Transmission
86	TRANSMISSION	<u>0013WCU</u>	<u>0013WCU</u>	OIL COOLER, AUTO TRANSMISSION {Modine} Remote Mounted; Not for use with Retarder
87	TRANSMISSION	<u>0013WLM</u>	<u>0013WLM</u>	TRANSMISSION OIL Synthetic; 63 thru 76 Pints
88	TRANSMISSION	<u>0013WUA</u>	<u>0013WUA</u>	AUTOMATIC NEUTRAL Allison Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged
89	TRANSMISSION	<u>0013WUS</u>	<u>0013WUS</u>	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Package Number 223, Modified for Single Input Auto Neutral
90	TRANSMISSION	<u>0013WVD</u>	<u>0013WVD</u>	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Control Valve, Piping and Wiring, Wired for PTO
91	TRANSMISSION	<u>0013WVW</u>	<u>0013WVW</u>	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released
92	TRANSMISSION	<u>0013WYU</u>	<u>0013WYU</u>	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming
93	REAR AXLES, SUSPENSIONS	<u>0014AJX</u>	<u>0014AJX</u>	SHIELD, TEMPERATURE SENSOR Mounted to Rear Axle
94	REAR AXLES, SUSPENSIONS	<u>0014HRC</u>	<u>0014HRC</u>	AXLE, REAR, TANDEM {Meritor RT-46-164EH} Single Reduction, Standard Width, 46,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends
95	REAR AXLES, SUSPENSIONS	<u>0014RAR</u>	<u>0014RAR</u>	AXLE, LIFT, CONTROLS for One Lift Axle; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab
96	REAR AXLES, SUSPENSIONS	<u>0014UAB</u>	<u>0014UAB</u>	AXLE SPACING, FIRST PUSHER 49" Ahead of Drive Axle
97	REAR AXLES, SUSPENSIONS	<u>0014JULY</u>	<u>0014JULY</u>	SUSPENSION, REAR, TANDEM {Hendrickson HMX-460-54} Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings
98	REAR AXLES, SUSPENSIONS	<u>0014WAL</u>	<u>0014WAL</u>	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions
99	REAR AXLES, SUSPENSIONS	<u>0014WBN</u>	<u>0014WBN</u>	DIFF. SWITCH CONTROLS Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted

				on Dash
100	REAR AXLES, SUSPENSIONS	<u>0014WBV</u>	<u>0014WBV</u>	SHOCK ABSORBERS, REAR (4) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam
101	REAR AXLES, SUSPENSIONS	<u>0014WCL</u>	<u>0014WCL</u>	TORQUE RODS {Hendrickson} XTRB Ultra Rods, Transverse and Longitudinal
102	REAR AXLES, SUSPENSIONS	<u>0014WMK</u>	<u>0014WMK</u>	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 65 thru 89.99 Pints
103	REAR AXLES, SUSPENSIONS	<u>0014WNB</u>	<u>0014WNB</u>	AXLE, REAR, LIFT, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 10.99 Pints
104	REAR AXLES, SUSPENSIONS	<u>0014WNM</u>	<u>0014WNM</u>	AXLE, PUSHER, LIFT TYPE {Watson & Chalin SL-2065 Tru-Track} 20,000-lb Capacity, One Self-Steer Axle
105	REAR AXLES, SUSPENSIONS	<u>0014WZY</u>	<u>0014WZY</u>	AXLE SHAFT MODIFICATION Axle Shaft Flanges Modified for 0.625" Diameter Drive Studs with Solid Type Cone-Locks
106	REAR AXLES, SUSPENSIONS	<u>0014862</u>	<u>0014862</u>	PDL WARNING BUZZER Power Divider Lock
107	FUEL TANKS	<u>0015BAA</u>	<u>0015BAA</u>	DEF TANK COVER Stainless Steel
108	FUEL TANKS	<u>0015DYP</u>	<u>0015DYP</u>	DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab
109	FUEL TANKS	<u>0015LKU</u>	<u>0015LKU</u>	FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor
110	FUEL TANKS	<u>0015LNA</u>	<u>0015LNA</u>	FUEL HEATER {Cummins} Plumbing for Thermal Recirculation Valve (TRV) Mounted to Cummins X15 Engines, Thermostatically Controlled
111	FUEL TANKS	<u>0015SSG</u>	<u>0015SSG</u>	FUEL TANK Polished Aluminum, 24" Dia, 120 US Gal (454L), Mounted Left Side, Under Cab
112	CABS, COWLS, BODIES	<u>0016HBA</u>	<u>0016HBA</u>	GAUGE CLUSTER English with English Electronic Speedometer
113	CABS, COWLS, BODIES	<u>0016HGL</u>	<u>0016HGL</u>	GAUGE, OIL TEMP, REAR AXLE
114	CABS, COWLS, BODIES	<u>0016HGN</u>	<u>0016HGN</u>	GAUGE, AIR APPLICATION
115	CABS, COWLS, BODIES	<u>0016HLC</u>	<u>0016HLC</u>	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Mounted in Instrument Panel
116	CABS, COWLS, BODIES	<u>0016JPG</u>	<u>0016JPG</u>	SEAT, DRIVER {National 2000 Model 195} Air Suspension, Hi Back, Vinyl w/Cloth Insert, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Way Front Adj, 3 Way Rear Cushion Adj, 2-15 Degree Back Angle Adjustment, Adj Side Bolster, Vinyl Suspension Cover, Heat
117	CABS, COWLS, BODIES	<u>0016RAN</u>	<u>0016RAN</u>	SEAT, PASSENGER {National 2000 Model 192} Non Suspension, High Back, Vinyl Boxing with Cloth Facing, 11 Degree Back Angle Adjust
118	CABS, COWLS, BODIES	<u>0016SNR</u>	<u>0016SNR</u>	MIRRORS (2) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width
119	CABS, COWLS, BODIES	<u>0016SNX</u>	<u>0016SNX</u>	MIRROR, CONVEX, LOOK DOWN Right Side, Bright, 6" x 10.5"
120	CABS, COWLS,			STORAGE, REAR WALL Storage Pocket, Located on Back Wall Between Driver and

	BODIES	<u>0016UZJ</u>	<u>0016UZJ</u>	Passenger Seats
121	CABS, COWLS, BODIES	<u>0016VKA</u>	<u>0016VKA</u>	CAB INTERIOR TRIM Diamond, for HX Day Cab
122	CABS, COWLS, BODIES	<u>0016VRT</u>	<u>0016VRT</u>	HEATER, ENHANCED CIRCULATION {Bergstrom} Control, for Extreme Cold Weather Climates
123	CABS, COWLS, BODIES	<u>0016VZA</u>	<u>0016VZA</u>	WINDOW, REAR 52.25" Wide
124	CABS, COWLS, BODIES	<u>0016WAK</u>	<u>0016WAK</u>	WINDOW, POWER (2) in Left and Right Doors
125	CABS, COWLS, BODIES	<u>0016WHJ</u>	<u>0016WHJ</u>	HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type
126	CABS, COWLS, BODIES	<u>0016WJG</u>	<u>0016WJG</u>	CAB DOOR LOCKS Power
127	CABS, COWLS, BODIES	<u>0016WKB</u>	<u>0016WKB</u>	AIR CONDITIONER {International Blend-Air} with Integral Heater and Defroster
128	CABS, COWLS, BODIES	<u>0016WKR</u>	<u>0016WKR</u>	WINDSHIELD Single Piece
129	CABS, COWLS, BODIES	<u>0016WLD</u>	<u>0016WLD</u>	CAB REAR SUSPENSION Dual Air Suspension, Includes Special Crossmember Assembly
130	CABS, COWLS, BODIES	<u>0016XWE</u>	<u>0016XWE</u>	SUNSHADE, EXTERIOR Bright Finish, with Integral Clearance/Marker Lights
131	CABS, COWLS, BODIES	<u>0016ZHD</u>	<u>0016ZHD</u>	GRAB HANDLE, EXTERIOR Towel Bar Type, with Anti-Slip Rubber Inserts, for use with Cab Access, without Frame Access or Chassis Skirts
132	CABS, COWLS, BODIES	<u>0016000</u>	<u>0016000</u>	FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
133	CABS, COWLS, BODIES	<u>0016031</u>	<u>0016031</u>	CAB Conventional, Day Cab
134	CABS, COWLS, BODIES	<u>0016564</u>	<u>0016564</u>	HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line
135	WHEELS, TIRES - FRONT	<u>0027DJH</u>	<u>0027DJH</u>	WHEELS, FRONT {Alcoa 82462} DISC; 22.5x12.25 Rims, High Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
136	WHEELS, TIRES - REAR	<u>0028DMK</u>	<u>0028DMK</u>	WHEELS, REAR DUAL DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
137	WHEELS, TIRES - LIFT AXLE	<u>0034ABP</u>	<u>0034ABP</u>	WHEELS, LIFT AXLE PUSHER {Accuride 29683} Single Wheels, For One Lift Axle; 22.5x12.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, Offset 4.00" << Pricing Includes Standard Tires >>
138	WARRANTY	<u>0040124</u>	<u>0040124</u>	WARRANTY Standard for HX Series, Effective with Vehicles Built December 7, 2015 or Later, CTS-2015A
139		<u>0217FYB</u>	<u>0217FYB</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
140		<u>0425FTA</u>	<u>0425FTA</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
141		<u>0425FTH</u>	<u>0425FTH</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100

142	MISC	<u>0500100</u>	<u>0500100</u>	CFR, DUAL DIFF LOCK AIR SW
143	MISC	<u>0500103</u>	<u>0500103</u>	CFR, DIFF LOCK AND PDL AIR SW
144	MISC	<u>0500109</u>	<u>0500109</u>	CFR, AIR CONTROLLED PTO SW Priority 100
145	MISC	<u>0500110</u>	<u>0500110</u>	CFR, TWO AUXILIARY SW
146	MISC	<u>0500112</u>	<u>0500112</u>	CFR, AUTO TRACTION CONTROL SW
147	MISC	<u>0500113</u>	<u>0500113</u>	CFR, LIFT AXLE SINGLE SW
148	MISC	<u>0500117</u>	<u>0500117</u>	CFR, FAN DRIVE OVERRIDE SW
149	MISC	<u>0500121</u>	<u>0500121</u>	CFR, DIFF LOCK ENABLE SW
150	MISC	<u>0500122</u>	<u>0500122</u>	CFR, MARKER LIGHT INTERRUPT SW
151	MISC	<u>0500131</u>	<u>0500131</u>	CFR, GAUGE AIR APPLICATION
152	MISC	<u>0500132</u>	<u>0500132</u>	CFR, GAUGE AIR CLEANER RESTRIC
153	MISC	<u>0500137</u>	<u>0500137</u>	CFR, IND TRANS GEAR POSITION
154	MISC	<u>0500141</u>	<u>0500141</u>	CFR, HEATED MIRROR SWITCH
155	MISC	<u>0500142</u>	<u>0500142</u>	CFR, ENGINE COMPRESSION BRK SW
156	BRAKES	<u>0504061</u>	<u>0504061</u>	SPRING BRAKE MODULATOR VALVE with Relay function
157	BRAKES	<u>0504084</u>	<u>0504084</u>	SUPPLY LINE, AIR, ADDITIONAL 5/8" Line from Primary Air Tank to Rear of Section Relay Valve for Brake Timing Requirements
158	BRAKES	<u>0504396</u>	<u>0504396</u>	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab
159	BRAKES	<u>0504479</u>	<u>0504479</u>	BRAKE IDENTITY, FRONT {Bendix Spicer ADB} 22.5", Air, Disc Type
160	BRAKES	<u>0504480</u>	<u>0504480</u>	BRAKE IDENTITY, REAR {Bendix Spicer ADB} 22.5" Air, Disc Type
161	BRAKES	<u>0504628</u>	<u>0504628</u>	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail
162	DRIVELINES	<u>0506001</u>	<u>0506001</u>	YOKE, TRANSMISSION OUTPUT
163	DRIVELINES	<u>0506007</u>	<u>0506007</u>	YOKE, FORWARD REAR AXLE INPUT
164	DRIVELINES	<u>0506008</u>	<u>0506008</u>	YOKE, FWD-RR AXLE, REAR OUTPUT
165	DRIVELINES	<u>0506010</u>	<u>0506010</u>	YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input
166	DRIVELINES	<u>0506100</u>	<u>0506100</u>	DRIVELINE LABOR IDENTITY for Driveline Labor
167	DRIVELINES	<u>0506102</u>	<u>0506102</u>	CENTER BEARING, FIRST XMBR
168	DRIVELINES	<u>0506110</u>	<u>0506110</u>	CENTER BEARING MTG. PARTS
169	MISC	<u>0508096</u>	<u>0508096</u>	ELECTRICAL SYSTEM MUX for Vehicle Control Module Functions, for Non-Multiplexed Vehicles
170	SPEEDOMETER, TOOLS, MISC	<u>0510AAB</u>	<u>0510AAB</u>	LANGUAGE IDENTITY For English
171	SPEEDOMETER, TOOLS, MISC	<u>0510000</u>	<u>0510000</u>	BULK MATERIAL
172	MISC	<u>0510002</u>	<u>0510002</u>	SERVICE PARTS ASSEMBLIES
173	SPEEDOMETER, TOOLS, MISC	<u>0510104</u>	<u>0510104</u>	SPECIAL ROUTING CONTROL for Pre Delivery Inspection Completed at TSC
174	SPEEDOMETER, TOOLS, MISC	<u>0510166</u>	<u>0510166</u>	ENGINEERING PROGRAM IDENTITY Stopping Distance Test Requirements DO

175	SPEEDOMETER, TOOLS, MISC	<u>0510190</u>	<u>0510190</u>	NOT INFUSE-FOR FACTORY USE ONLY ENGINEERING PROGRAM IDENTITY Lift Axle Approved for Build DO NOT INFUSE- FOR FACTORY USE ONLY
176	SPEEDOMETER, TOOLS, MISC	<u>0510859</u>	<u>0510859</u>	VEPS IDENTITY for Allison Gen 5 Transmission
177	SPEEDOMETER, TOOLS, MISC	<u>0510916</u>	<u>0510916</u>	VEPS IDENTITY Use J1939 output speed signal ILO a Transmission Mounted Speed Sensor
178	SPEEDOMETER, TOOLS, MISC	<u>0510993</u>	<u>0510993</u>	VEPS IDENTITY Electronic Diagnostics
179	REAR AXLES, SUSPENSIONS	<u>0514005</u>	<u>0514005</u>	TORQUE ROD FORWARD REAR
180	REAR AXLES, SUSPENSIONS	<u>0514006</u>	<u>0514006</u>	TORQUE ROD REAR REAR
181	REAR AXLES, SUSPENSIONS	<u>0514009</u>	<u>0514009</u>	AXLE STOPS, FORWARD REAR
182	REAR AXLES, SUSPENSIONS	<u>0514010</u>	<u>0514010</u>	AXLE STOPS, REAR REAR
183	FUEL TANKS	<u>0515010</u>	<u>0515010</u>	FUEL TANK CAP Chrome, Non-Locking Type
184	CABS, COWLS, BODIES	<u>0516003</u>	<u>0516003</u>	ACCESS, CAB Driver & Passenger Sides, Two Steps Per Door, for use with Day Cab or Extended Cab, Not with 13" Deep Fuel Tanks
185	CABS, COWLS, BODIES	<u>0516078</u>	<u>0516078</u>	CAB, DRILLING for B-Pillar Exhaust
186	CABS, COWLS, BODIES	<u>0516088</u>	<u>0516088</u>	CAB, DRILLING for Dash Connector
187	WHEELS MISC OPTIONS	<u>0529001</u>	<u>0529001</u>	WHEEL BEARING, FRONT, LUBE
188	WHEELS MISC OPTIONS	<u>0529002</u>	<u>0529002</u>	WHEEL BEARING, REAR, LUBE
189	MISC	<u>0530100</u>	<u>0530100</u>	TIRES
190	BODY & CHASSIS PAINT	<u>0535008</u>	<u>0535008</u>	PAINT CHASSIS COLOR GROUP No. 08
191	BODY & CHASSIS PAINT	<u>0535011</u>	<u>0535011</u>	IDENTITY STANDARD PAINT COLOR for Internal Order Coding
192	BODY & CHASSIS PAINT	<u>0535911</u>	<u>0535911</u>	PAINT COLOR GROUP PT-11 No. 1; Identifies Material and Labor Cost for the 1st Paint Color of a 1-Tone, 2-Tone, 3-Tone or 4- Tone Paint Schematic Design
193	MISC	<u>0595AAC</u>	<u>0595AAC</u>	BC PROG, KEY STATE
194	MISC	<u>0595AAD</u>	<u>0595AAD</u>	BC PROG, BRAKE SWITCH
195	MISC	<u>0595AAH</u>	<u>0595AAH</u>	BC PROG, LIGHTS ON W/WIPERS
196	MISC	<u>0595ABJ</u>	<u>0595ABJ</u>	BC PROG, ENGINE TYPE MFG Cummins or PSI
197	MISC	<u>0595AKY</u>	<u>0595AKY</u>	BC PROG, DOME LIGHTS
198	MISC	<u>0595AYC</u>	<u>0595AYC</u>	BC PROG, WINDSHIELD WIPER without Low Washer Fluid Indicator
199	MISC	<u>0595BCM</u>	<u>0595BCM</u>	BC PROG, TRAILER LIGHTING , for Non- Multiplexed Vehicles
200	MISC	<u>0595BUZ</u>	<u>0595BUZ</u>	BC PROG, PARK BRAKE INDICATOR with Zero Cluster Configuration
201	MISC	<u>0595BXL</u>	<u>0595BXL</u>	BC PROG, LOCKING DIFFERENTIAL , Driver Controlled, for Non-Multiplexed Vehicles

202	MISC	<u>0595BXM</u>	<u>0595BXM</u>	BC PROG, PARKED REGEN SWITCH , for Diesel Particulate Filter in the Exhaust Aftertreatment System, for Non-Multiplexed Vehicles
203	MISC	<u>0595BXN</u>	<u>0595BXN</u>	BC PROG, PARK / MARKER LIGHTS , for Non-Multiplexed Vehicles
204	MISC	<u>0595BXP</u>	<u>0595BXP</u>	BC PROG, HEADLIGHTS W/DRL , for Non-Multiplexed Vehicles
205	MISC	<u>0595BXS</u>	<u>0595BXS</u>	BC PROG, TURN SIGNALS/BRAKE , for Non-Multiplexed Vehicles
206	MISC	<u>0595BXT</u>	<u>0595BXT</u>	BC PROG, MARKER INTERRUPT SW , for Non-Multiplexed Vehicles
207	MISC	<u>0595JAL</u>	<u>0595JAL</u>	BC PROG, BODY CONTROLLER for Truck, GEN 4, 505 Hardware, Enhanced Architecture
208	MISC	<u>0595JBA</u>	<u>0595JBA</u>	BC PROG, IP CONFIGURATION for Non-Multiplexed Vehicles
209	MISC	<u>0595KAV</u>	<u>0595KAV</u>	BC PROG, ELECTRICAL GRID CONT Ignition Output, for Non-Multiplexed Vehicles
210		<u>0738422</u>	<u>0738422</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
211		<u>0765266</u>	<u>0765266</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
212		<u>0775266</u>	<u>0775266</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100

© 2019 Navistar, Inc. All rights reserved. All marks are trademarks of their respective owners.

Jonesboro Sun
 518 Carson
 Jonesboro AR 72401

1-00000351

ADVERTISING INVOICE / STATEMENT

BILLING DATE	TERMS OF PAYMENT
01/31/2021	Upon Receipt

BILLED ACCOUNT NO	AGENCY/CLIENT
90035632	90035632
NAME OF AGENCY/CLIENT	
CRAIGHEAD COUNTY JUDGES OFFICE BILLING	

*****AUTO**ALL FOR AADC 380
 CRAIGHEAD COUNTY JUDGES OFFICE
 BILLING
 Dept
 511 Union St Ste 119
 Jonesboro AR 72401-2863

DATE	AD #	TRANS #	DESCRIPTION	INS	UNITS	AMOUNT	TOTAL
01/06/2021	90901214	302669183	Balance Forward			0.00	0.00
01/17/2021	90903121	302672964	NOTICE TO BIDDERS Craighead Co - <i>SR Fire</i> 20JN Jonesboro Sun - NOTICE TO	1	4.55in	73.45	73.45
01/24/2021	90903783	302675202	NOTICE TO BIDDERS Craighead Co - <i>Rd</i> 20JN Jonesboro Sun - NOTICE TO	1	4.77in	77.35	150.80
			NOTICE TO BIDDERS Craighead Co - <i>Rd</i> 20JN Jonesboro Sun - NOTICE TO	1	4.77in	78.00	228.80

PERIOD 1 2021	AGING			
	Period 12 2020	Period 11 2020	Period 10 2020	Period 9 2020
\$ 228.80	\$ 0.00	\$ 0.00	\$ 0.00	\$ 0.00

TOTAL NET AMOUNT DUE
\$ 228.80

PLEASE RETURN THIS PORTION
 WITH YOUR REMITTANCE

If you desire to charge this amount to your credit card, please complete the following information and return to the address below: [] Visa [] Mastercard [] Discover [] American Express
 Acct# _____ Exp Date: _____
 Signature _____

BILLED ACCOUNT NO	BILLED ACCOUNT NAME	AMOUNT DUE
124 90035632	CRAIGHEAD COUNTY JUDGES OFFICE	\$ 228.80



REMIT TO
 Jonesboro Sun
 c/o Paxton Media Group
 PO Box 1200
 Paducah KY 42002
 Phone: 270-575-8731
 Fax: 270-575-8726

Payment in full is due upon receipt of the statement. A service charge on all balances over 30 days will be computed by a 'Periodic Rate' of 1-1/2% per month, which is an ANNUAL PERCENTAGE RATE OF 18%, this applies to the previous balance after deducting current payments and credits appearing on your statement. Refunds less than \$10.00 will be refunded electronically, donated to NIE, or collected in cash at the newspaper.

Remittance Advice

90035632000000000022880

Billing Date
 01/31/2021

AFFP

NOTICE TO BIDDERS Craighead Co

Affidavit of Publication

STATE OF ARKANSAS }
COUNTY OF CRAIGHEAD } SS

Matthew Smith, being duly sworn, says:

That he is A Classified Director of the Jonesboro Sun, a Daily newspaper of general circulation, printed and published in Jonesboro, Craighead County, Arkansas; that the publication, a copy of which is attached hereto, was published in the said newspaper on the following dates:

January 17, 2021

Publisher's Fee: \$ 77.35

That said newspaper was regularly issued and circulated on those dates.

SIGNED:

Matthew Smith

Subscribed to and sworn to me this 17th day of January 2021.

Janet Melton
Janet Melton, Notary Public 9/6/2022

90035637 90903121

CRAIGHEAD COUNTY JUDGES OFFICE
511 UNION STE 119
JONESBORO, AR 72401

RECEIVED

JAN 21 2021

FROM
CRAIGHEAD COUNTY
JUDGE'S OFFICE

NOTICE TO BIDDERS

Craighead County is now accepting bids until 2:00 PM, February 3, 2021, local time, at the Craighead County Judge's office for the following:

Purchase two (2) Dump Trucks, (2) Motor graders, (1) Backhoe/loader

Bid specifications may be picked up at the County Judge's office, Craighead County Courthouse Annex, 511 Union St., Suite 119, Jonesboro, Arkansas, Monday through Friday, from 8:00 A.M. until 5:00 P.M.

Bids will be opened at 2:00 P.M., February 3, 2021, local time, in the County Judge's office.

The County reserves the right to reject any and all bids or any part of any specific bid.

Bid specifications are available on the County Web Site at www.craigheadcounty.org
Al Haines
Purchasing Agent
Craighead County



NEA Real Estate Agents



Karen Merryman
243-1043



These agents are ready to assist with all of your real estate needs.

To advertise here, please call 870-935-5525

JAN 17, 2021

LEGALS	0955 LEGALS	0955 LEGALS	0955 LEGALS	0955 LEGALS	0955 LEGALS
---------------	--------------------	--------------------	--------------------	--------------------	--------------------

an be dropped off
First floor lobby
Building up until
p.m., Thursday
ry 28, 2021
rst floor confer-
oom has been re-
for the opening
imum of ten (10)
s will be allowed
st in the confer-
oom at one time
distancing will be
ed.
overings will be
id.
will be re-
to provide Bid-
in the form of a
id of a sum no-
Amount Pro-
hall be accom-
y a cashier's or
I check upon a
or state bank in-
not less than
percent (5%) and
total maximum
ce payable to the
esboro or a con-
In the same
om a reliable
npany, as a
e that bidder
into a con-
execute Per-
and Payment
thin ten (10)
F NOTICE of
ward of con-
be given by
within sixty
ollowing the
bids.
sful Bidder-
ha Perform-
yment Bond
Your offer will be
Provided
quired to be submitted
under a condition of ir-
revocability for a peri-
od of 30 days after sub-
mission.

turn of clean docu-
ments by bonified bid-
ders
Proposals will be con-
sidered on the basis of
cost. The City of Jones-
boro reserves the right
to reject any or all bids,
to waive any informalit-
ies, and to accept the vs
proposal deemed to be
for their best interest.
The City of Jonesboro
hereby notifies all bid-
ders that this contract
is subject to applicable
Labor Laws, Non-Dis-
crimination Provisions,
Wage Rate Laws and
other Federal Laws in-
cluding the Fair Labor
Standards Acts of 1938,
The Work Hours Act of
1962 and Title VI of the
Civil Rights Act of 1964
also apply.
The City of Jonesboro
encourages participa-
tion of small, minority
and woman owned
business enterprises in
the procurement of
goods, services, and
construction either as
a general contractor or
a subcontractor. It is
further requested that
whenever possible, ma-
jority contractors who
require sub-contract-
ors seek qualified small,
minority, and women
owned businesses to
partner with them.
Refer to other bidding
requirements de-
scribed in Document 00
21 13 - Instructions to
Bidders and Document
00 31 00 - Available
Project Information
Your offer will be re-
quired to be submitted
under a condition of ir-
revocability for a peri-
od of 30 days after sub-
mission.

IN THE DISTRICT COURT
OF CRAIGHEAD COUNTY,
ARKANSAS
CIVIL DIVISION
SON-TINA ENTERPRISES,
INC.
PLAINTIFF
CASE NO. JOCV-20-408
DALE SHIRLEY, Individu-
ally, and
DALE SHIRLEY, LLC
DEFENDANT
WARNING ORDER
1. This is a breach of
contract action in-
volving Defendants Dale
Shirley, Individually and
Dale Shirley, LLC and
Plaintiff for Industrial
racking along with the
costs and fees in pursu-
ing this action.
2. Pursuant to Arkansas
Rule of Civil Procedure
40(3) Defendants Dale
Shirley, Individually and
Dale Shirley, LLC are
hereby warned to ap-
pear within thirty (30)
days from the date of
this first publication of this
Order or face entry of
Judgment by default or
otherwise barred from
asserting an interest in
this case.
WITNESS my hand and
seal as District Clerk of
Craighead County,
Arkansas this 14 day of
January 2021.
/s/ Nina Jackson,
Craighead County Dis-
trict Clerk
PREPARED BY:
/s/ Jared Woodard
(2004148)
STANLEY & WOODARD
PLC
326 S. Church
Jonesboro, AR 72401
(870) 932-2000 (phone)
(870) 972-9999 (facsimile)
jared@stanleywoodard.
com
Attorney for Plaintiff

(3) months from the
date of the first publica-
tion of this notice, or
they shall be forever
barred and precluded
from any benefit in the
estate.
This notice first pub-
lished the 17 day of
January, 2021.
Claudia F. Carter,
Affiant
By: Chad R. Oldham
(2002058)
OLDHAM LAW FIRM, PLLC
603 Southwest Drive
Jonesboro, AR 72401
Phone: (870) 930-9919
NOTICE TO BIDDERS
Craighead County is
now accepting bids un-
til 2:00 PM, February 3,
2021, local time, at the
Craighead County
Judge's office for the
following:
Purchase two (2) Dump
Trucks, (2) Motor
Graders, (1)
Backhoe/Loader
Bid specifications may
be picked up at the
County Judge's office,
Craighead County
Courthouse Annex, 511
Union St., Suite 119
Jonesboro, Arkansas,
Monday through Friday,
from 8:00 A.M. until 5:00
P.M.
Bids will be opened at
2:00 P.M., February 3,
2021, local time, in the
County Judge's office.
The County reserves
the right to reject any
and all bids or any part
of any specific bid.
Bid specifications are
available on the County
Web site at
www.craigheadcounty.
org
Al Haines
Purchasing Agent
Craighead County
REQUEST FOR
PROPOSALS
The Osceola Housing
Authority is seeking

PUBLIC NOTICE OF
DRAFT DISCHARGE PER-
MIT AND 208 PLAN
PERMIT NUMBER
AR0053163 AFIN 16-
01822
In accordance with Ark.
Code Ann. § 8-4-203(c),
the Arkansas Depart-
ment of Energy and En-
vironment - Division of
Environmental Quality
(DEQ) Office of Water
Quality, gives the fol-
lowing notice
Stacey Richardson -
Richardson's Trailer
Washout operates a fa-
cility located as follows:
5409 Highway 18 East,
Jonesboro, AR 72401
The facility proposes to dis-
charge treated trailer
washout water into an
unnamed ditch, thence
to Maple Slough Ditch,
thence to Cum Slough
Ditch, thence to Ditch
No. 10, thence to
Straight Slough, thence
to St. Francis Bay,
thence to the St. Fran-
cis River in Segment 5A
of the St. Francis River
Basin. Stacey Richard-
son submitted an ap-
plication on December
17, 2019, with all addi-
tional information re-
ceived by January 23,
2020, for the issuance of
NPDES Permit No.
AR0053163. The applica-
tion has been reviewed
by the DEQ's Office of
Water Quality and has
received tentative ap-
proval subject to the
terms of this notice.
The 208 Plan, de-
veloped by the DEQ un-
der provisions of Sec-
tion 208 of the federal
Clean Water Act, is a
comprehensive pro-
gram to work toward
achieving federal water
goals in Arkansas. The
Initial 208 Plan, adopted
in 1979, provides for an-
nual updates, but can
be revised more often if
necessary. Updates to
the 208 Plan have been

ed state ar.us. Public
notice, comments and
hearings will be con-
ducted in accordance
with Rule 8.104(A)(5) (40
CFR §§124.10 through
124.12 by reference) and
Rules 8.207 through
8.210 (Administrative
Procedures). All per-
sons, including the per-
mittee, who wish to
draft permitting de-
cision must submit
written comments to
DEQ, along with their
name and mailing ad-
dress. A Public Hearing
will be held when DEQ
finds a significant de-
gree of public interest.
After the public com-
ment period, DEQ will
issue a final permitting
decision. DEQ will not-
ify the applicant and
each person who has
submitted written com-
ments or requested no-
tice of the final permit-
ting decision. Any inter-
ested person who has
submitted comments
may appeal a final de-
cision by DEQ in accord-
ance with the ARC & EC
Rule 8.

**SELL YOUR
ITEMS
IN THE
ALLEYWAYS**

Advertisement for Bids
Poinsett County
Housing Authority
Owner
1104 Elm Street
Marked Tree, AR 72365
Separate sealed Bids for